



SURFACE SOLUTIONS AUTOMOTIVE AFTERMARKET 2023

10

NEIRTEN



INTRODUCTION 04-16

Process Solutions	05
Cyclonic Multi-Air	06
MeshPower	08
Latest products & our full abrasives offering	10
MyAbrasives online ordering system	12
Excellence training centres & Norton Advantage	15

METAL WORKING 17-38

CUTTING & GRINDING	18-19
Cutting discs	18
Grinding discs	19
PANEL PREPARATION & WELD GRINDING Fibre discs, cloth discs & back-up pads	20-21
DEBURRING & RUST/PAINT REMOVAL	23-24
Flap discs	23
Rapid Blend discs	24
CLEANING	25-26
Rapid Strip discs	25
High strength discs	26
QUICK CHANGE DISCS FOR SMALL AREAS	28-35
Plain discs	28
Mini flap discs	29
Flexi-flap discs	30
Rapid discs range	30
Mini Grinder & Kit	33
SANDING HARD TO REACH AREAS	36-38
File belts	36
Handy rolls	38

MANUAL SANDING 39-49

PRE-CUT ROLLS	40
Cyclonic Multi-Air pre-cut rolls	40
CUT SHEETS & SHEETS	41-44
Cut sheets	41
Sheets	44
ROLLS	46-47
Self-Grip rolls	46
Paper rolls	47
SANDING BLOCKS, KITS & HOSES	48-49
Sanding Blocks & hoses	48
Sanding Block kits	49



MACHINE SANDING	49-70
SANDING DISCS	50-67
Cyclonic Multi-Air discs & starter kit	50
Multi-Air discs	51
Mesh power discs	56
Multi-Air back-up pads & interfaces	57
Blue Fire discs	58
Norton Pro & Pro Plus discs	59
Norton Pro & Pro Plus smart repair discs	60
Norton Pro film discs	63
Gold Reserve discs	63
Self-grip back-up pads & interfaces	64
D.A. Sander, Vacuum & Accessories	65
CUT SHEETS	68-69
Multi-Air cut sheets	68

69

Multi-air	plus cut sheets

FINISHING ROTOLO FOAM	71-80 72-74
Norton Pro Plus Norton MAX	72
Norton Pro Gold Reserve	73 74 74
BEARTEX NON-WOVEN	75-77
Rotolo rolls	75
BearTex hand pads & discs	76
Scuff Gel	77
Back-up pads	77
WATERPROOF SHEETS	78-79
Waterproof sheets	78
Sanding block for waterproof paper	78
Rossette discs & blocks	79
SANDING SPONGES	80

CONTENTS

109-118

MICRO FINISHING 81-91 MASKING

NORTON ICE RANGE	83-85
Discs	83
Foam interfaces	84
Rosette discs & blocks	85
Norton Ice starter kit	85
LIQUID ICE COMPOUNDS	86-87
ACCESSORIES	88-90
Polishing heads	88
Clothes & Tack rags	89
Clay range	90
HEADLIGHT REPAIR KIT	91




93-104

FARÉCLA

POLISH RANGE	94-98
G360 Super Fast Compound	95
G360 Super Fast Finish	95
G360 Kits	95
G3 Compounds	96
G3 Glaze Gloss Enhancer	97
G3 Wax Premium Liquid Protection	97
G3 Regular Grade Paste	97
G-SCUFF Paint Preparation Paste	98
G3 Pro Range	98
ACCESSORIES	102-106
Polishing heads & Lambs wool	102
Backing pads & adaptors	104
Finishing cloths	105
Spray bottle	106
Spurring brush	106
Degreasing & polishing wipes	106
MACHINES	107-108
G Plus Electric rotary polishing machine	107
AC DELCO mini polisher	107
G Plus D.A. Polisher	107
G Plus D.A. system kit	108

MASKING PRODUCTS



NORTON 119-123 PAINT SYSTEM

Disposable kits	120
Refill kits	121
Reusable hard cup	121
Starter kit	121
Mixing cups	122
Accessories	122



PERSONAL PROTECTION EQUIPMENT

25-´	131

Masks & filter pad replacements	126
Safety Glasses	128
Gloves	130
Overalls	131



From the initial metal working in repair processes, through to the final detailing and polishing, Norton provides the most powerful, precise, and user-friendly solutions to transform surfaces of car body repair. And when choice and value are required, we provide the widest portfolio of abrasives and system components along with expert knowledge drawn from more than 135 years of experience. Norton are a true full service, value partner. No matter the application, our passion is in delighting our customers, making them more productive, more profitable, every day. Transforming surfaces, reshaping the Automotive Aftermarket, together.





Norton offers products for cutting, grinding, surface preparation, reshaping, sanding, cleaning and rust and excess material removal from high strength steel and automotive materials in the collision repair sector.

PRODUCT HIGHLIGHT: BLAZE RAPID STRIP Removes rust, scale, old paint and composites quickly and easily leaving the surface prepared ready for the next step.

See page 25.



MICROFINISHING

For a high gloss finish and mirror shine. Norton has many abrasives, compounds and accessories to chose from to make the polishing process fast and simple.

PRODUCT HIGHLIGHT: LIQUID ICE XTRA CUT

Achieve a polished finish most common clear coats using only Liquid Ice Xtra Cut, single step process for great results.

See page 88.



MANUAL SANDING

From aggressive removal of paint layers to fine sanding finishing. In panel repair and preparation, look no further than Multi-Air cut sheets with the original hole configuration from Norton, designed for maximum dust extraction.

PRODUCT HIGHLIGHT: MULTI-AIR PLUS (A975)

The best product for final sanding when used in conjunction with the Multi-Air sanding block.

See page 42.



MACHINE SANDING

Whether sanding bare metal, filler, primer, base coat, clear coat, plastics or composites, Norton makes life quicker and easier in the bodyshop. Film discs, foam backed discs, mesh abrasives and Cyclonic Multi-Air which offers innovation as the 'all in one' sanding system with the ultimate dust extraction on all surfaces.

PRODUCT HIGHLIGHT: MULTI-AIR CYCLONIC Colour coded discs and rolls made using premium abrasive grain, laser cut technology, an anti-clog layer, and foam backing make Cylonic the new go-to system

See page 52.



FINISHING

Scratch and scuff removal during the final repair stages needs quality products that can be relied upon to achieve a high quality finish first time. Norton non-woven products, Rotolo Foam and waterproof sheets do just that.

PRODUCT HIGHLIGHT: NORTON PRO PLUS ROTOLO FOAM

Pre-cut sheets with premium abrasive and foam backing gives a superior finish on flat and uneven surfaces thanks to the foam that absorbs the contours.

See page 74.



MASKING

A number of tapes are available for masking applications which require high heat resistance, to more specialist jobs on edges and in apertures.

PRODUCT HIGHLIGHT: NORTON PREMIUM TAPE Resists high temperatures, conforms to contours, and leaves no residue when removed.

See page 112.

NORTON PAINT SYSTEM

An effective solution for preparing, mixing and spraying paint. A faster, cleaner solution, the NPS saves on cleaning time and solvent usage and can be used without the hard cup, improving spraying visibility and providing a more comfortable experience.

See page 119.



PERSONAL PROTECTION EQUIPMENT

Norton offers a range of respiratory masks, gloves, glasses and overalls for protection in the bodyshop.

See page 125.

FOR MORE INFORMATION VISIT www.nortonabrasives.com






THE ULTIMATE SANDING SOLUTION

A truly unique 'all in one' sanding solution combining cleaner working conditions with the ultimate performance for a unique sanding solution for all applications.



CYCLONIC MULTI-AIR

Thanks to the unique hole pattern based on cyclone formation, Norton Cyclonic improves productivity by up to 32% compared to conventional multi-hole sanding discs, with a 25% increase in dust extraction. Contributing to this increase is new laser cutting technology meaning holes are cut into the disc, not punched, so discs are flatter, dust extraction is better and the abrasive surface areas is increased for a more consistent scratch pattern and improved surface finish throughout the life of the disc.



PRODUCT SPOTLIGHT



A SIMPLE APPLICATION PROCESS

	STEP	APPLICATION	SHAPE / BACKING	BACK-UP PAD	MACHINE / MANUAL	FINISHING GUIDE
	BLUE	stripping & LEVELLING (heavy duty)	Self-Grip	Hard	5mm Orbit	80 / 100
	GREEN	STRIPPING 1 & FILLER LEVELLING	Self-Grip	Hard / Medium	5mm Orbit	120 / 150
	RED	2 FILLER FINISHING	Self-Grip	Medium	5mm Orbit	220 / 240
	SALMON	3 PRIMER SANDING	Micro Soft-Touch	Medium	O 2,5mm Orbit	320 / 400
P .	FUCHSIA	4 PRIMER FINISHING	Micro Soft-Touch	Medium / Soft	Q) 2,5mm Orbit	500 / 600
R	TURQUOISE	FADEOUT & BLENDING	Micro Soft-Touch	Soft	Q) 2,5mm Orbit	800 / 1000

SEE PAGE 52 FOR THE FULL NORTON CYCLONIC RANGE

PRODUCT SPOTLIGHT





POWERFUL DUST EXTRACTION

Sanding is traditionally dusty and messy. But, with Norton MeshPower[™], you get powerful dust extraction for virtually dust free sanding. This means a cleaner, healthier working environment, a better finish and a much more pleasant sanding experience.

An alternative to traditional perforated paper discs, Norton MeshPower is a multi-functional abrasive, designed with thousands of holes, created by the unique mesh matrix structure. This hole structure allows dust extraction in any application.






CERAMIC ADVANTAGE

WHY CHOOSE A CERAMIC ABRASIVE?

Ceramic grain provides the ultimate material removal, best productivity, longest life and finest finish.

POWERFUL DUST EXTRACTION MEANS A CLEANER ENVIRONMENT

The open mesh construction of the backing allows dust particles to flow freely through thousands of tiny holes, creating a virtually dust free sanding environment. Better for your health, better for your application and better for your business!









SEE PAGE 58 FOR THE FULL NORTON MESHPOWER RANGE

LATEST PRODUCTS



FARÉCLA G3 PRO

G3 Professional formulas have been engineered at a molecular level by our experienced technical team and scientists to make them user friendly, effective and suitable for use on multiple surfaces. Technically advanced formulas developed where relevant alongside paint and lacquer manufacturers make them safe and effective for all paint types and surfaces in many sectors including automotive, marine, aerospace and wood.





NEW BODYSHOP MACHINES

Introducing two new machines to make sanding in the bodyshop faster, more comfortable and easier for operators.

The **Dual Action Sander Pneumatic (D.A.S.P)** is compact, lightweight and designed to reduce vibration and hand/arm fatigue when used over long periods, for better sanding control.

It includes a 360° adjustable muffler-cap to reduce sharp noise and a metal-muffler inside to reduce oil accumulation designed to ensure smooth running and extend machine life. Achieve great sanding results when used with Norton Multi-Air or Norton Cyclonic discs. For more information, see page 67.

The new **Central Vacuum System (model CV4E)** is a powerful, effective vacuum with an automatic filter cleaning system ideal for moderate dust levels in bodyshops and workshops to maintain high suction performance. The Vacuum is a compact mobile unit which is easy to store and has a range of optional accessories to allow connection to pneumatic sanding machines.

NORTON Q775 FILM DISCS

New to the micro-finishing family, Norton Super flexible Q775 Film discs are durable and very flexible conforming better than ever to surface contours.

Discs are colour coded and available in grits up to P3000 for a consistent scratch pattern and even finish.





A FULL ABRASIVE OFFER

MANUAL OF	PERATIONS			APPLICATION		
PRODUCT	TOOL	METAL	FILLER	PRIMER	PAINT	CLEAR COAT
		BLUE	FIRE			
CUT SHEETS	SANDING BLOCK		NORTON PRO), MULTI-AIR & MU	LTI-AIR PLUS	
COT SHEETS	SANDING BLOCK			BEARTE	X HAND PADS & TH	HINFLEX
			MESHPOWER			
ROTOLO FOAM	HAND OR SANDING BLOCK	NORTON PRO, GOLD RESERV		SERVE		
		BEA	RTEX			
SHEETS	HAND OR SANDING BLOCK	Q	775 FILM, NORTON	PRO, GOLD RESER	VE	
				BLACK	ICE WATERPROOF	PAPER
		R222				
		H231	/G131			
ROLLS	HAND OR SANDING BLOCK		CYCLONIC MULTI-A NORTON PRO, GOLD RE		R	
					SERVE	
				MESHPOWER		
SPONGES	HAND	SOFT-TOUCH SPONGES				

APPLICATION

MACHINE OPERATIONS

PRODUCT TOOL CLEAR COAT THIN WHEELS BLUE FIRE FIBRE DISCS NORZON, METAL BDX, VULCAN, SUPER BLEUE 4, RIGHT ANGLE GRINDER FLAP DISCS NORSTAR, FLEXI-FLAP RIGHT ANGLE OR RS, RSF, RST, RAPID STRIP DIE GRINDER TR Plus BLAZE & XTREME MINI-FLAP DISCS DIE GRINDER SPEEDLOK & SPEEDLOK DISCS, BEARTEX CLOTH DISCS ROTARY SANDER NORZON CYCLONIC ORBITAL SANDER CYCLONIC MULTI-AIR MULTI-AIR DISCS MULTI-AIR NORZON MULTI-AIR ORBITAL SANDER MULTI-AIR DISCS MULTI-AIR MULTI-AIR MULTI-AIR ORBITAL SANDER SOFT-TOUCH DISCS MULTI-AIR MESHPOWER DISCS MESHPOWER ORBITAL SANDER BLUE FIRE NORTON PRO NORTON ICE ORBITAL SANDER SELF-GRIP⁺ DISCS NORTON PRO, NORTON PRO FILM, GOLD RESERVE PURE ICE Q175, Q775 FILM SOFT-TOUCH DISCS NORTON PRO, GOLD RESERVE ORBITAL SANDER SELF-ADHESIVE ORBITAL SANDER NORTON PRO, GOLD RESERVE DISCS MULTI-AIR NORZON MULTI AIR ORBITAL SANDER CUT SHEETS MULTI-AIR MESHPOWER ORBITAL SANDER MESHPOWER CUT SHEETS POLISHING **RIGHT ANGLE** LIQUID ICE COMPOUNDS **GRINDER / POLISHER** SELF-GRIP DISCS ORBITAL SANDER NORTON ICE

WE'RE MAKING IT EVEN EASIER TO ORDER OUR GREAT PRODUCTS



MyAbrasives The online ordering system from Saint-Gobain Abrasives

Our user-friendly ordering system works very much like online retailers you use every day, easy to navigate and get what you need, whether it's ordering, tracking or research.

With MyAbrasives the ordering process is so simple:



Search for your product








ORDERING MADE EASY:

- 1. Detailed product information and specifications, including images and videos
- **2.** Access to order confirmations, product availability and delivery lead times
- 3. Available from smartphones, tablets and PCs 24/7
- **4.** Automatically creates a list of most frequently ordered products for ease of future ordering
- **5.** Save favourite lists to make ordering quicker and easier



MYABRASIVES OFFERS GREATER FLEXIBILITY:


- **Product search:** you can search by UPC, name, category, EAN number and filter and sort search results, making it much easier for you to find what you need
- Order history and reordering: you'll be able to see your past orders across all platforms (EDI, ABx, phone and fax) and these can also be easily re-ordered. Invoices, debit/credit notes and shipping status will also be visible in the 'Order History' section so you can be sure all of your paperwork is safe in one place
- **Quotes:** you can request and track quotes in MyAbrasives rather than having to contact the customer services team separately
- Saved orders: you can save orders for future reference by putting multiple items in your cart and saving it, e.g. as 'Monthly Order'. You can also add a note to indicate the order frequency, e.g. 'order every month except December' and save it so you can re-order quickly and easily
- Bulk orders: if you need to make a bulk order, you can upload a CSV file directly into the system rather than having to search for each product individually
- **Recommended for you:** related products you may need to order
- **Extra support:** FAQs and how-to videos, or contact our dedicated helpline

Register today

To register call your local customer service team and start using MyAbrasives today.








Automotive Aftermarket

nonion is part of a select group of industry leaders previding complete automotive whitema automotive largering together as whenced target of adverses and non-atomics consumation, including a apprending with other key Saleh Gobert furtherme, hances helps body shops to continue all espects of the submotive repair and which process.

As a world leader in docume automore for applications in metal working body panel report, surface preparation, finding and polision, from evaluate you is work with 100% confidence in activation procedure results for your business. Thus priority is to priorite the metal efficiency preparation processes, and only affining they parameter coupled with seas of autodociding and previous termination of interests processing, policities groups and and access and a set of the termination of the parameters provide and previous termination of interests processing, policities groups and and accesses and a set of the termination of effective accession of the setting of the parameters of the termination of the setting parameters and a set of the setting termination of the parameters of the termination of the setting and the version of the setting parameters of the setting of the set of the set of the setting of the set of the





DISCOVER MORE ABOUT OUR PRODUCTS AT:

www.nortonabrasives.com





EXCELLENCE TRAINING CENTRES

It is our goal to establish a long-term relationship with our customers, with a strong emphasis on sharing our professional skills, process knowledge and providing up-to-date information regarding industry developments. Our Excellence Training Centres in France, Italy, Germany and Poland, are fully equipped facilities offering professional technical locations for handson training based on best practices in repair shops.

Our training sessions are held on a regular basis and are open to everyone! If you are interested in participating, please contact your local Norton representative to arrange a suitable date.





Our mobile demonstration centre allows us to meet you anywhere, for a demonstration by our technicians. This provides the opportunity THE NORTON AD**VAN**TAGE: WE CAN VISIT YOU ANY TIME, ANY PLACE, ANYWHERE.

to "put to the test" our Norton Ad**VAN**tage program, demonstrating the benefits of Norton's innovative products in your own working environment.

16 / INTRODUCTION

CUTTING & GRINDING	18
Cutting discs	10
Grinding discs	
PANEL PREPARATION & WELD GRINDING	21
Fibre discs	
DEBURRING & RUST/PAINT REMOVAL	23
Flap discs	ZJ
Rapid Blend discs	
CLEANING	25
Rapid Strip discs	25
High strength discs	
QUICK CHANGE DISCS FOR SMALL AREAS	28
Plain discs	20
Mini flap discs + Flexi flap discs	
Rapid Strip discs	
Rapid Blend discs	
Rapid Prep discs	
Mini Grinder & Kit	
SANDING HARD TO REACH AREAS	36
File belts	30
Handy rolls	

NORTO


CUTTING & GRINDING

Designed for all rough applications including: weld removal, surface preparation, metal removal, reshaping and cutting rusted and corroded materials. Norton Blue Fire is the choice of the professional, cutting quickly and comfortably.





BLUE FIRE CUTTING DISCS



- High performance abrasive grain yields up to 5% more cuts than standard discs
- Strong bond system in disc formula provides longer life, reduces workpiece burn and lowers the need for deburring
- Wide range of disc sizes available for cutting and grinding using a straight grinder or angle grinder in small or hard to reach areas

DIMENSIONS D x T x B (mm)	MAX SPEED (m/sec)	SPECIFICATION	ART. NO.	PK QTY
50 x 1 x 6.35	80	A 60 T-BF41	66252842745	50
50 x 2 x 6.35	80	A 60 T-BF41	66252842746	50
63 x 1 x 10	80	A 60 T-BF41	66252828195	50
63 x 1 x 6.35	80	A 60 T-BF41	66252828238	50
63 x 2 x 6.35	80	A 60 T-BF41	66252828239	25
76 x 1 x 6.35	80	A 60 T-BF41	66252828240	50
76 x 1 x 10	80	A 60 T-BF41	66252828241	50
76 x 1.6 x 10	80	A 46 T-BF41	66252828242	50
76 x 2 x 6.35	80	A 60 T-BF41	66252828243	25
76 x 2 x 8	80	A 60 T-BF41	66252828244	25
76 x 2 x 10	80	A 60 T-BF41	66252828245	25
100 x 1 x 10	80	A 60 T-BF41	66252828246	25
100 x 1 x 16	80	A 60 T-BF41	66252828247	50



BLUE FIRE CUTTING DISCS

TYPE 41	1 ₈₀ .	~		
DIMENSIONS D x T x B (mm)	MAX SPEED (m/sec)	SPECIFICATION	ART. NO.	PK QTY
115 x 1 x 22.23	80	A 60 T-BF41	66252828255	25
125 x 1 x 22.23	80	A 60 T-BF41	66252828256	25
125 x 1.6 x 22.23	80	A 60 T-BF41	66252828257	25





DIMENSIONS D x T x B (mm)	MAX SPEED (m/sec)	SPECIFICATION	ART. NO.	PK QTY
115 x 1 x 22.23	80	C 60 T-BF41	66252828253	25
125 x 1 x 22.23	80	C 60 T-BF41	66252828254	25

BLUE FIRE GRINDING DISCS

+++++ 				
DIMENSIONS D x T x B (mm)	MAX SPEED (m/sec)	SPECIFICATION	ART. NO.	PK QTY
50 x 6 x 6.35	80	A 24 R-BF01	66252828248	10
63 x 6 x 10	80	A 24 R-BF01	66252828249	10
76 x 7 x 10	80	A 24 R-BF01	66252828250	10



ΡK

QTY

10

10



TYPE 27

DIMENSIONS

D x T x B (mm)

115 x 6 x 22.23

SPINDLES

• Spindles for use on straight grinders

MAX SPEED

(m/sec)

80

• These products guarantee correct mounting of cutting discs and grinding wheels, even when the wheel arbor does not match the original machine

SPECIFICATION

A 24 R-BF27

A 24 R-BF27

ART. NO.

66252828251

66252828252

SIZE	ART. NO.	
6mm	07660739614	1
8mm	07660739616	1
10mm	07660739615	1





NEW PNEUMATIC STRAIGHT CUT-OFF KIT

- Kit designed for quick cutting in collision repair applications
- Machine is delivered with a fixed safety guard and a soft grip to prevent discomfort. It is lightweight, only 0.8kg, and with low noise and low air consumption
- All included Norton Blue Fire wheels are 76mm to fit the 3" machine
- High performance cutting disc 1.0mm, for more cuts and longer disc life
- Metal/Inox 7.0mm grinding disc designed for rough applications

DESCRIPTION	QTY IN KIT	ART. NO.
Norton straight cut-off tool	1	
Norton Blue Fire Inox cutting-off wheel for straight grinder	50	
Norton Blue Fire Metal-Inox grinding wheel for straight grinder	10	78072756398
Norton standard glasses	1	
Norton tool bag	1	

PANEL PREPARATION & WELD GRINDING

Weld grinding and stock removal is often required during major collision repair jobs. Norton offers a number of fibre discs and self grip discs for medium and heavy material removal from metal.

NORZON FIBRE DISCS F827



- Sharp NorZon grain provides fast cutting action and high stock removal of old paint and rust, smoothing down welding beads, light deburring and blending
- The 0.8mm fibre backing and full resin bond system makes the disc strong, flexible and long lasting
- The fibre discs are impregnated with active cooling agents, which prevent the workpiece from burning

GRIT	115 x 22mm	125 x 22mm	180 x 22mm	QTY
36	63642539615	63642536483	63642533063	25
50	69957360053	63642539620	63642533064	25
60	63642539616	69957360057	63642533065	25
80	63642539617	63642539622	63642533066	25
120	63642533055	63642533056	63642533068	25





DI/

MOUNTING Use with a backing pad on an angle grinder and use a tightening nut to ensure correct fixing to the machine.



NORTON METAL F100

- Tough, aluminium oxide grain and additional grinding additives make F1 ideal for steel and metal alloys
- The 0.8mm/0.6mm thick fibre backing provides good product life in metal removal applications

GRIT	115 x 22mm	125 x 22mm	180 x 22mm	PK QTY
36	66623385741	66623385768	66623385760	25
40	66623385745	66623385770	66623385752	25
50	66623385747	66623385773	66623385793	25
60	66623385748	66623385775	66623385749	25
80	66623385750	66623385776	66623385746	25
120	66623385757	66623385779	66623385739	25

MOUNTING

Use with a backing pad on an angle grinder and use a tightening nut to ensure correct fixing to the machine.

BACKING PADS

- Suitable for F827 & F100
- M14 nut medium hardness

DIMENSIONS	DENSITY	ART NO.	PK QTY
115 x 22mm	Medium	69957382825	5
125 x 22mm	Medium	69957382826	5
180 x 22mm	Medium	69957382827	5

DEBURRING & RUST/PAINT REMOVAL

To help reduce processing time and lower costs, Norton flap discs are engineered for applications from light stock removal to blending, providing a high quality finish every time.

SUPER BLEUE 4 FLAP DISCS



- Blended SG ceramic and NorZon abrasive grains provides the ultimate sharp cutting performance, even with less pressure applied to the machine
- Cloth backing provides strength and durability for aggressive applications
- Fibreglass back pad supports longer product life and a consistent finish

GRIT	115 x 22mm	125 x 22mm	PK QTY
40	63642519005	63642519040	10
60	63642519006	63642519050	10
80	63642519025	63642519054	10





MOUNTING Fits directly on angle grinders which have a tightening nut.





MOUNTING Fits directly on angle grinders which have a tightening nut.

VULCAN FLAP DISCS /++++/



- Self-sharpening zirconia grain provides aggressive stock removal when needed and with lighter pressure, deburrs, blends and removes old paint layers and corrosion, on the periphery or interior of doors and wheel arches
- Strong cotton cloth backing provides strength, flexibility and wear resistance
- Optimised flap configuration and increased abrasive density makes this range ideal for all low and medium pressure applications on all metal types
- MOUNTING. Fits directly on angle grinders which have a tightening nut.

GRIT	115 x 22mm	125 x 22mm	PK QTY
40	63642502311	63642502315	10
60	63642502312	63642502317	10
80	63642502313	63642502318	10
120	63642502314	63642502326	10





VORTEX RAPID BLEND DISCS

- Combination of high performance grain and unitised construction means finishing time is reduced and part quality is increased
- Thick nylon web resists loading, shedding and provides long product life
- 2-in-1 action; can cut like an 8 grit flap disc and finish like a finishing disc
- The undersized backing plate means the disc can be used for longer before being replaced, reducing total abrasive cost

DIMS	CAP CODE	MAX RPM	GRADE	ART. NO.	PK QTY
115 mm	U2305	12000	VORTEX 5AM	66254429268	10
125 mm	U2305	12000	VORTEX 5AM	66254496323	10

MOUNTING Fits directly on angle grinders which have a tightening nut.

CLEANING

Make light work of removing unwanted coatings and rust from metallic components with this range of products for stripping and cleaning.

This range of Rapid Strip discs have a strong open web structure that combines aggressive stock removal with a cool, conformable action that will not damage the workpiece.



- Nylon fibre composition, impregnated with high performance ceramic abrasive grain provides flexibility, so the discs do not gouge the work surface, instead shaping to its contours.
- The open structure between the fibers prevents clogging and reduces heat build up for a great finish, first time
- Cut costs by replacing some processes, multiple applications can be carried out with only one disc
- Leaves the surface thorougly cleaned to ensure excellent adhesion for the next stage of the process



BLAZE RAPID STRIP WHEELS

- For use on flexible shaft grinders, straight grinders and drills
- Ideal for corners and tight spaces
- Cut costs by replacing some processes, multiple applications can be carried out with only one disc
- Leaves the surface thorougly cleaned to ensure excellent adhesion for the next stage of the process

DIMENSIONS (mm)	GRADE	MAX RPM	ART. NO.	PK QTY
100 x 13 x 12	Extra coarse	8000	66623304856	25
150 x 13 x 12	Extra coarse	8000	66261099378	15





MOUNTING Use with TR+ holder, order separately



BLAZE RAPID STRIP SPEEDLOK DISCS #++++

- For use on flexible grinders, straight grinders and drills
- Ideal for rust removal from small intricate areas

DIMENSIONS (mm)	GRADE	MAX RPM	ART. NO.	PK QTY
100	Extra coarse	8000	66623303921	5

BLAZE RAPID STRIP DISCS

• Depressed centre disc for use on an angle grinder to work on large surfaces

DIMENSIONS (mm)	CAP CODE	GRADE	MAX RPM	ART. NO.	PK QTY
115 x 22	R9101	Extra coarse	12000	66623303783	10
125 x 22	R9101	Extra coarse	11000	66623303916	10
178 x 22	R9101	Extra coarse	8000	66623303920	10





WHEEL HOLDER

• Tool holders for Rapid Strip discs

		÷.
DIMS (mm)	ART NO.	PK QTY
100 x 13 x 12	07660707022	10
150 x 13 x 22	07660707023	12

BEARTEX HIGH STRENGTH DISCS

- Abrasive and nylon formulation won't tear when used on burrs and sharp edges
- Smear-proof resin binders help to produce a great finish every time without the need for rework

DIMENSIONS (mm)	GRADE	ART. NO.	PK QTY
100 x 10 x 8	Medium	66254429562	10

TR+ HO	LDER	
• Suitable for R	apid Strip discs	6
• TR+ ATTACHM	1ENT: TR+	0
 For 100mm S discs 	peedlock TR+	
ART. NO.	PK QTY	
63642586196	1	



- Nylon fibre composition of the wheel, impregnated with abrasive, gives Rapid Strip wheels flexibility so they do not gouge the work surface, instead shaping to its contours
- The open structure between the fibers prevents clogging and reduces heat build up for a great finish, first time
- Good material removal for applications where less pressure is required



RAPID STRIP SPEEDLOK DISCS



- For use on flexible shaft grinders, straight grinders and drills
- Ideal for corners and tight spaces
- Good material removal for applications where less pressure is required

DIMENSIONS (mm)	GRADE	ART. NO.	PK QTY
100	Coarse	63642585751	5



• Depressed centre disc for use on an angle grinder to work on large surfaces

DIMENSIONS (mm)	GRADE	MAX RPM	ART. NO.	PK QTY
115 x 22	Coarse	11000	63642585732	5
115 x 22	Coarse	12000	66261009649	10
125 x 22	Coarse	8500	63642585749	5
125 x 22	Coarse	12000	66261030655	10

RAPID STRIP WHEELS RST

- For use on flexible shaft grinders, straight grinders and drills
- Ideal for corners and tight spaces
- Good material removal for applications where less pressure is required

DIMENSIONS (mm)	GRADE	ART. NO.	PK QTY
100 x 13 x 6	Coarse	63642557742	10
100 x 25 x 6	Coarse	63642557745	5
150 x 13 x 8	Coarse	63642557743	10







MOUNTING Use with TR+ holder, order separately

QUICK CHANGE DISCS FOR SMALL AREAS

Known as 'Quick Change Discs' for their convenience and speed during disc changeover, these mini discs have a special fastening system which enables discs to be changed quickly so no time is wasted during the application process. Designed for blending, breaking edges and removing parting lines and machine marks the discs are small in diameter, ideal for hard to reach areas and mild contours as well as small, flat surfaces.







MACHINES For use on pneumatic tools and pencil grinders.

MOUNTING

TR: Roll-on/roll-off system using a nylon threaded male button on a pad (TR) with spindle.

BLAZE X-TREME LIFE DISCS R980

TR

- Premium ceramic grain delivers powerful cutting performance on stainless steel, inconels, chromium cobalt and titanium, even at medium pressure
- Premium ceramic alumina abrasive grain provides a cool, fast cut and a long product life
- Supersize layer contains active filler which promotes cool cutting and longer product life
- MACHINE. For use on pneumatic tools, pencil grinders.

DIA (mm)	GRIT	ART. NO.	PK QTY
	36	63642597039	50
50 mm	50	63642597045	50
50 mm	60	63642597050	50
	80	63642597052	50
	36	63642597053	50
75 mm	50	63642597057	50
75 mm	60	63642597060	50
	80	63642597062	50



BLAZE F980 +++++



- Patented ceramic grain delivers an outstanding cut rate, which significantly outperforms similar competitor products
- The self-lubricating, advanced supersized treatment reduces heat build up, loading and glazing on a stainless steel, titanium and super alloys High performance resins offer superior grain retention, which extends the product life and keeps the disc effective for longer

DIA (mm)	GRIT	ART. NO.	PK QTY
50 mm	36	66261058704	25
	50	66261058705	25
	60	63642597050	50
	36	66261058708	25
75 mm	50	66261058709	25
	60	66261058711	25





MACHINES

For use on pneumatic tools and mini angle grinders.

MOUNTING

TR: Roll-on/roll-off system using a nylon threaded male button on a pad (TR) with spindle.

NORZON DISCS R884 /++++/



- Premium self-sharpening NorZon grain delivers fast cutting capability and high stock removal rates
- The SpeedLok fixing system makes changing the discs quick and easy, reducing process time
- Grinding, blending and finishing are all possible using the same tool, as NorZon discs are available in a wide range of grit sizes
- Grinding, blending and finishing are all possible using the same tool, as Norzon discs are available in a wide range of grit sizes

DIA (mm)	GRADE	ART. NO.	PK QTY
50 mm	36	63642560882	50
50 mm	50	69957389455	50
50 mm	60	63642556396	50
50 mm	80	63642560884	50
50 mm	120	63642560885	50
75 mm	36	63642560886	50
75 mm	50	69957389465	50
75 mm	60	63642560887	50
75 mm	80	63642560888	50
75 mm	120	66261137003	50





MACHINES For use on pneumatic tools and mini angle grinders.





MACHINES For use on pneumatic tools and mini angle grinders.





MACHINES For use on pneumatic tools and mini angle grinders.

BLAZE MINI FLAP DISCS R980

- A mini version of the flap disc, ideal for cleaning and removing metal from flanges, panels, and finishing prior to applying primer
- Extra heavy duty plastic backing supports aggressive applications where more pressure is required
- Ceramic SG abrasive provides longer life than any other flap disc
- Supersize layer contains active filler for cool cutting and long product life

Grit	50mm	RECOMMENDED BACK UP PAD	PK QTY
40	66261120104		10
60	66261120109	63642556629	10
80	66261120110		10

X-TREME MINI FLAP DISCS R828

TR

- Ideal for cleaning, removing metal and finishing welds before applying primer
- NorZon grain provides high stock removal rates with medium to high pressure
- The backing system allows flexibility in blending and finishing operations and the small size can access hard to reach areas

Grit	75 mm	50 mm	RECOMMENDED BACK UP PAD	PK QTY
40	63642527476	66261180892		10
60	66261180904	66261180893	63642556629	10
80	63642527482	66261180894		10



X-TREME MINI-FLEXI FLAP DISCS R828

- Blend and finish small curved surfaces and contours with the flexible flap construction making light work of small welds, rust and metal
- NorZon grain provides high stock removal rates with medium to high pressure
- The backing system allows flexibility in blending and finishing operations and the small size can access hard to reach areas

Grit	50 mm	PK QTY
40	66261180889	10
60	66261180890	10
80	66261180891	10



MACHINES For use on pneumatic tools and mini angle grinders.





- Heavily coated with super-sharp ceramic alumina grains, which ensures this disc will last twice as long as competitor products
- Use for multiple operations including stripping, cleaning and finishing, provides a comparable finish to a medium surface conditioning disc

• The open structure will not shed on rusted surfaces or load on soft metals





Grit	GRADE	ART. NO.	QTY
50	Extra coarse	66623303912	25
75	Extra coarse	66261096557	25
100	Extra coarse	66623303921	5

MOUNTING Roll-on/roll-off system using a nylon threaded male button on a pad

RAPID STRIP ++++



- Nylon fibre composition of the wheel, impregnated with abrasive, gives
- Rapid Strip wheels flexibility so they do not gouge the work surface, instead shaping to its contours
- The open structure between the fibres prevents clogging and reduces heat build-up for a great finish, first time
- Good material removal for applications where less pressure is required

GRADE	ART. NO.	PK QTY
Extra coarse	63642588173	10
Extra coarse	63642588175	10
	Extra coarse	GRADE ART. NO. Extra coarse 63642588173 Extra coarse 63642588175

MOUNTING: TR: Roll-on/roll-off system using a nylon threaded male button on a pad









VORTEX RAPID BLEND OPEN

A TR

- An advanced grain technology delivers a controlled cut rate, consistent finish to the workpiece, and a long product life that results in fewer disc changes
- The open web structure allows the operator to blend in 3 dimensions; using the face, edge and back of the disc
- Open web structure avoids loading, even on soft metals

Grit	50 mm	75 mm	PK QTY
Medium	66254497067	66254497068	25

MOUNTING: TR: Roll-on/roll-off system using a nylon threaded male button on a pad





MACHINES

For use on pneumatic tools and mini angle grinders.

MOUNTING

TS: Turn-on/turn-off system using a metal to metal fixing on pad (TS) with spindle. TR: Roll-on/roll-off system using a nylon threaded male button on a pad (TR) with spindle.

VORTEX RAPID PREP SCM

- Features a thick layer of specialised Vortex grain, which extends product life and eliminates grit sequences by combining the cutting speed of a coarse grit and the finishing qualities of a fine grit
- The advanced resin system and specialised Vortex grain imparts a superior smear-free finish and will not load on aluminium and other similar soft metals
- Resistant to edge wear, disc lasts up to four times longer than competitor products

DIA (mm)	CAP CODE	GRADE	TR	TS	PK QTY
	S2103	Extra coarse	66623378336		50
	S2203	Coarse	66623378340	66623378349	50
50 mm	S2303	Medium	66623378342	66623378351	50
	2403	Fine	66623378345		50
	S2503	Very fine	66623378347	66623378353	50
	S2103	Extra coarse	66623378337		25
	S2203	Coarse	66623378341	66623378350	25
75 mm	S2303	Medium	66623378343	66623378352	25
	2403	Fine	66623378346		25
	S2503	Very fine	66623378348	66623378354	25



RAPID PREP AO SCM /++++/



- The open structure resists loading on softer metals so the disc can be used for longer before being changed, reducing down time and overall abrasive cost
- A high content of abrasive throughout the disc means the cut rate is consistently high throughout its life
- A flexible disc which conforms to contours of the part

DIA	CAP CODE	GRADE	TR	TS	PK QTY
	S2108	Extra coarse	66623378355		50
	S2208	Coarse	66623378359	66623378374	50
50 mm	S2308	Medium	66623378363	66623378376	50
	S2408	Fine	66623378366		50
	S2508	Very fine	66623378372	66623378378	50
	S2108	Extra coarse	66623378356		50
	S2208	Coarse	66623378360	66623378375	50
75 mm	S2308	Medium	66623378364	66623378377	50
	S2508	Very fine	66623378373	66623378379	50
	S2408	Fine	66623378382		50





MACHINES For use on pneumatic tools and mini angle grinders.

MINI ANGLE GRINDER

- Model: Norton Mini Angle grinder 50mm (2")
- 22.000 MAX RPM (0,45 HP)
- Designed for use with the quick-change back-up pad, SpeedLok and mini flap discs
- Use with 38mm and 50mm quick change sanding discs and spindle mounted sanding specialties only. The accessories must have a rated speed greater than the speed marked on the tool



DESCRIPTION	ART NO.	EXHAUST DIRECTION	THROTTLE TYPE	AIR CONSUMPTION	COLLECT CHNK	WEIGHT OF TOOL
50mm (2") 22.000 MAX RPM (0,45 HP) mini angle grinder	66261177765	Rear	Level	85 l/min	6mm	0,742 kg

APPLICATION TIPS:



- Air tools require regular lubrication throughout the life of the tool. The air motor and bearing use compressed air to power the tool. As moisture in compressed air will rust the air motor, it must be lubricated daily. An inline oiling device is recommended.
- This in an UNGUARDED tool and should NEVER be used with cut-off discs or other bonded abrasive grinding wheels. Never use any product that has a MAX RPM rating less that the RPM marked on the tool.



MINI ANGLE GRINDER KIT

- Ideal for metal car body work, the kit contains an assortment of abrasive SpeedLok discs of the most popular grades for stripping, deburring and surface blending, and the Norton mini right angle grinder
- The Norton mini grinder inside the kit is compact, light weight and ideal for use on small or awkward areas.
- The SpeedLok quick change system means discs can be changed quickly, reducing down time and speeding up the job

DESCRIPTION	QTY IN KIT	ART. NO.
50mm Quick Change Holder TR	1	
50mm Vortex Rapid Prep SCM medium discs	10	_
50mm Blaze F980 P36 discs	25	69957300298
50mm Blaze Rapid Strip extra coarse discs	10	07757300278
Tool bag	1	
Norton mini right angle grinder	1	



NEW MINI ANGLE GRINDER KIT

STRIPPING TO BLENDING METAL INCLUDES MACHINE & ABRASIVES (50mm)

- The kit contains an assortment of abrasive SpeedLok discs of the most popular grades for stripping, deburring and surface blending, and the Norton mini right angle grinder
- The Norton mini grinder inside the kit is compact, light weight and ideal for use on small or awkward areas
- The SpeedLok quick change system means discs can be changed quickly, reducing downtime and speeding up the job
- All products come in a handy Norton tool bag, which can be reused

DESCRIPTION	QTY IN KIT	ART. NO.
Mini angle grinder Ø 50mm (2") 22.000 MAX RPM (0.45 HP)	1	
Speedlok Blaze Ø 50mm R980 P36	5	
Speedlok Blaze Ø 50mm R980 P50	5	
Speedlok Blaze Ø 50mm R980 P60	5	
Speedlok Blaze Ø 50mm R980 P80	5	
Speedlok Blaze Ø 50mm F980 P36	5	
Speedlok Blaze Ø 50mm F980 P50	5	
Speedlok Blaze Ø 50mm F980 P60	5	- 78072707340
Speedlok Blaze Ø 50mm F980 P80	5	/80/2/0/340
Vortex Rapid Blend Ø 50mm	5	
Rapid Strip Blaze Ø 50mm TR	5	
High strength medium disc Ø 50mm	5	
Pad for mini angle grinder Ø25 x 6mm - medium	1	
Pad for mini angle grinder Ø50 x 6mm - hard	1	
Safety glasses – standard	1	
Norton bag	1	



NEW ABRASIVE KIT

CUTTING, GRINDING & CLEANING FOR RIGHT ANGLE GRINDER (76-115mm)

- This kit contains a selection of abrasive discs for cutting, grinding, rust and weld removal, stripping and deburring applications on car body
- All discs are suitable for use with a mini right angle grinder (machine not included)
- Max 15.000 RPM. Norton safety glasses are included
- All products come in a handy Norton tool bag which can be reused



DESCRIPTION	QTY IN KIT	DESCRIPTION	QTY IN KIT	ART. NO.
Speedlok Blaze Ø 75mm R980 P36	10	Rapid Strip Blaze Ø 115mm	2	
Speedlok Blaze Ø 75mm R980 P60	10	High strength medium disc Ø 75mm	5	
Speedlok Blaze Ø 75mm R980 P80	10	Crimped cup brushes Ø 75mm - M14	1	_
Speedlok Blaze Ø 75mm F980 P36	10	Thin Wheel Blue Fire Ø 125 x 1.0 x 22	5	-
Speedlok Blaze Ø 75mm F980 P60	10	Pad Ø 75mm M14 - Blue Nylon	1	- 78072707341
Speedlok Blaze Ø 75mm F980 P80	10	Safety glasses – standard	1	
Vortex Rapid Blend Ø 75mm	5	Norton bag	1	_
Rapid Strip Blaze Ø 75mm	5			_

QUICK CHANGE DISC HOLDER TR

- TR ATTACHMENT: Roll-on/roll-off system using a nylon threaded male button on a pad (TR) with spindle
- QUICK CHANGE HOLDER TR

TR/TS	DIMS	Medium Hard		PK QTY
TR	50 mm	07660717817	63642586931	1
TR	38 mm	63642556629		1
IR	75 mm	63642556631	66254401460	1
-				



QUICK CHANGE DISC HOLDER TR+

- Suitable for Rapid Strip discs
- ATTACHMENT: TR+
- For 100mm Speedlock TR+ discs

DIMS	DENSITY	ART. NO	QTY
6 mm	Hard	63642586196	1



FILE BELTS

Narrow width multi-purpose belts for sanding hard to reach areas. Designed with ceramic grain to offer the best productivity and efficiency. Can be used for paint removal, cleaning, removing rust, sanding welding points and much more.

NEW PNEUMATIC FILE BELT SANDER

- The Norton pneumatic file belt sander makes life easier when used in hard to reach and awkward applications and areas
- Use with Norton file belts for stock removal, deburring or surface preparation and defect removal on corners, contours and tight areas
- Small but powerful file belt sander with 0,5 hp motor, for a mighty output
- Ergonomic soft grip improves maneuverability and reduces operator fatigue



DESCRIPTION	ART NO.	BELT SIZE	HORSEPOWER	FREE SPEED	RECOMMENDED OPERATING PRESSURE	TOOL WEIGHT
Pneumatic file belt sander	77696091766	10x330mm	0,5	18.000rpm	6,2 bar	0,82 kg



NEW PNEUMATIC FILE BELT KIT

- Belts included are for stock removal to finishing applications
- High performance ceramic abrasive & non-woven belts for the best performance
- Remove rust and corrosion, deburr, blend and finish with one kit
- Machine is 10x330mm. All belts are 10x300mm to fit the machine.

DESCRIPTION	QTY IN KIT	ART. NO.
File belt machine	1	_
File belt R929 P60	20	
File belt R929 P80	20	_
File belt 10x330mm BearTex: Coarse	10	78072707299
File belt 10x330mm BearTex: Medium	10	
File belt 10x330mm BearTex: Fine	10	
Norton tool bag	1	_



FILE BELTS R929 +++++

- Combined SG and aluminium oxide abrasive grain provides an outstanding cut rate even at low to medium pressure and imparts an excellent surface finish
- Featuring a strong polyester cloth backing and phenolic bond with active fillers for a cool and fast cut

Grit	20mm x 520mm	10mm x 330mm	PK QTY
40	66623303272	66623303110	10
60	66261029755	66261144369	10
80	66623303275	66623303270	10
120	66623303276	66623303271	10



NEW RAPIDPREP SURFACE **++++** CONDITIONING FILE BELTS

- Strong synthetic mesh and aluminium oxide abrasive bonded together with a smear resistant adhesive
- Open construction of non-woven material for tough cutting action without clogging or loading
- Ideal for removing paint, rust, adhesives, coatings and sealant corrosion in hard to access areas

GRADE	10mm x 300mm	PK QTY
Coarse	69957360172*	10
Medium	63642578004*	10
Very Fine	69957360176*	10
	* Mac	de-to-order



METAL WORKING

HANDY ROLLS

Great for manual sanding operations especially on curved surfaces thanks to the flexibility of the cloth backing. Available in grades from stripping to finishing.



HANDY ROLLS R222

- Aluminium oxide abrasive is sharp enough to remove material with manual pressure
- Cloth backing provides flexibility for sanding round pipes, contours and curves, can also be torn easily to size
- Resin bond system promotes excellent grain adhesion for applications from deburring to blending and finishing

Grit	38mm x 25m	PK QTY
40	63642531828	1
50	63642531826	1
60	63642531824	1
80	63642531821	1
100	63642531817	1
120	63642531812	1
150	63642531809	1
180	63642531806	1
220	63642531803	1
240	63642531800	1
280	63642536425	1
320	63642531797	1
400	63642531794	1
600	63642539150	1

MANUAL SANDING

PRE-CUT ROLLS	- 40
Cyclonic Multi-Air pre-cut rolls	40
CUT SHEETS & SHEETS	- 41
Cut sheets	41
Sheets	
ROLLS	- 45
Self-grip rolls	45
Paper rolls	
SANDING BLOCKS, KITS & HOSES	- 47
Sanding blocks	- 4/
Hoses	
Sanding block kits	

MANUAL SANDING

PRE-CUT ROLLS

Norton Cyclonic pre-cut rolls are made using the latest technology to ensure that each stage of sanding provides the best finish for the next stage of the process, minimising sanding time, increasing productivity and providing the perfect surface finish prior to painting.



As part of the Norton Cyclonic Sanding System, these rolls provide the best solution for panel preparation, from filler levelling to primer sanding.

FOR MORE INFORMATION ABOUT CYCLONIC, SEE PAGE 06.







CYCLONIC MULTI-AIR PRE-CUT ROLLS #++++

Dogaa

- As part of Cyclonic sanding system the colour coded backing represents each application step for fast and easy product selection in panel preparation, from filler levelling to primer sanding, speeding up the process
- Self sharpening ceramic grain delivers superior cutting performance and longer life than other abrasive grains. Ceramic grains also cut cooler, and wear more evenly, providing consistent sanding results and a distinctly uniform scratch pattern
- The No-Fil® formula prevents premature clogging of the abrasive, extending sanding time
- The self-grip backing is available in two dimensions that fit all sanding blocks for a fast and easy process from start to finish

STEP	COLOUR	APPLICATION	72mm x 12m	115mm x 12m	PK QTY	BOX QTY
Optional	Blue	Stripping & levelling (Heavy Duty)	66261151791	69957305936	1	4
1	Green	Stripping & filler levelling	66261151792	69957305937	1	4
2	Red	Filler finishing	66261151793	69957305939	1	4
3	Salmon	Primer sanding	66261151794	69957305940	1	4


CUT SHEETS & SHEETS

Manufactured to the most exacting standards, Norton's range of sanding sheets are second to none. Each product within the portfolio is designed to deliver a high quality, consistent finish at every stage of your process. Whether you are dry sanding primer, deburring, or removing scratches, Norton has a sanding sheet for your application.





Norton Multi-Air cut sheets are specially designed for dry sanding operations, to cut faster, run cooler, resist loading and last longer than conventional sandpaper.



MULTI-AIR WITH NORZON TECHNOLOGY H835 #++++



- Aggressive cutting performance for heavy applications including paint stripping and removal of body filler when sanding and flattening sharp edges, whilst imparting a consistent and uniform scratch pattern
- Heavy E weight paper backing adds resistance to help this range withstand tough removal of filler on bare metal





Grit	70 x 125 mm	70 x 198 mm	70 x 420 mm	115 x 230 mm	PK QTY	BOX QTY
40	69957394449	69957394363	69957394450	69957394452	50	200
60	69957394350	69957394367	69957394358	69957394453	50	200
80	69957394355	69957394369	69957394360	69957394454	50	200
120	69957394357	69957394451	69957394361	69957394455	50	200

MANUAL SANDING



MULTI-AIR PLUS A975 +++++

Dogue

- The advanced No-Fil® coating both prevents build-up of dust and avoids premature clogging. In very fine grits, it can be used for final dry sanding before spraying, without the risk of developing runs
- Patented Norton ceramic grain is blended with premium heat-treated aluminium oxide to deliver a very high cut rate that lasts up to twice as long as conventional abrasives and imparts a consistent, uniform scratch pattern
- A unique fibre-reinforced latex paper backing adds to the flexibility and makes the cut sheets tear resistant in all the applications
- Specifically designed for paint sanding from levelling filler to finishing primer



	2010				РК	вох
Grit	70 x 125 mm	70 x 198 mm	70 x 420 mm	115 x 230 mm	QTY	QTY
80	69957394456	69957394470	69957394463	69957394479	50	200
120	69957394457	69957394472	69957394464	69957394481	50	200
150	69957394458	69957394473	69957394465	69957394482	50	200
180	69957394459	69957394474	69957394466	69957394483	50	200
220	69957396408	69957396410	69957396406	69957396414	50	200
240	69957394460	69957394475	69957394467	69957394484	50	200
280	69957396409	69957396411	69957396407	69957396415	50	200
320	69957394461	69957394477	69957394468	69957394485	50	200
400	69957394462	69957394478	69957394469	69957394486	50	200



MESH-POWER

Experience powerful dust extraction with Norton MeshPower. A significant upgrade on traditional perforated discs, this solution is truly multi-functional. Designed with thousands of holes that are created by a unique mesh matrix, the MeshPower structure provides excellent dust extraction in any application. A reduction in clean up time is also a welcome benefit for any busy sander!

FOR MORE INFORMATION ON MESHPOWER SEE PAGE 08

MESH POWER CERAMIC M920

- Ceramic grain provides the highest performance thanks to its microfracturing properties which means the abrasive stays sharper and lasts longer than the aluminium oxide version
- No-Fil® technology is applied to the abrasive grain for longer product life and a consistent cut for the entire life of the product
- Abrasive can be used wet or dry for the perfect results
- No defined hole pattern, saves time and effort aligning holes, just apply, and go



Grit	70 x 125 mm	70 x 198 mm	70 x 420 mm	115 x 230 mm	ΡΚ QTY	BOX QTY
80	69957325770	69957325962	69957325986	69957326057	50	200
120	69957325772	69957325963	69957325987	69957326062	50	200
180	69957325773	69957325964	69957325988	69957326063	50	200
240	69957325774	69957325965	69957325990	69957326065	50	200
320	69957325775	69957325966	69957325991	69957326068	50	200

.................

MESH POWER ALUMINIUM OXIDE M220

- Good performance on primer, filler, paint, lacquer, fibreglass, aluminium, gel coat and plastic in panel repair, spot repair and bumper repair on used or new panels. Use by hand or with a machine.
- No-Fil® technology is applied to the abrasive grain for longer product life and a consistent cut for the entire life of the product.
- Abrasive can be used wet or dry for the perfect results.
- No defined hole pattern, saves time and effort aligning holes, just apply, and go.

Grit	70 x 198 mm	70 x 420 mm	PK QTY	BOX QTY
80	69957326280	69957326288	50	200
120	69957326281	69957326289	50	200
180	69957326283	69957326291	50	200
240	69957326285	69957326292	50	200
320	69957326286	69957326294	50	200





 \sim

NORTON MULTI-AIR PAD SAVER

00000			
DIMENSIONS	TYPE/GRADE	ART NO.	PK QTY
70 x 198mm	Multi-Air	69957328431	1
70 x 400mm	Multi-Air	69957328432	1



NORTON PRO A275 /++++/

- Aluminium oxide abrasive grain for manual sanding of all paint layers and lacquer, until smoothing clear coat
- No-Fil® layer helps to prevent loading, meaning sheets can be used for longer
- Sheets can be used for manual sanding at size (230x280mm) or folded/ cut and used with an orbital machine or manual sanding block, pre-cut sheets (115x280mm) are also for use by hand or with an orbital sander



Grit	DIMENSION	ART. NO	PK QTY
80		63642588214	50
120		63642588217	50
150		63642588218*	50
180	-	63642588221	50
220	-	63642588222*	50
240	115 x 280mm	63642588223	50
280	-	63642588224	50
320	-	63642588225	50
400	-	63642588226	50
500	-	63642588227*	50
600	_	63642588228*	50

Grit	DIMENSION	ART. NO	PK QTY
80		63642558015	50
100		63642585256	50
120		63642558016	100
150	-	63642586145	100
180		63642558017	100
220	230 x 280mm	63642586139	100
240		63642558018	100
280		63642585742	100
320		63642586132	100
360		63642586133	100
400	-	63642586134	100
500		63642586136	100
600	-	63642586137	100
800	-	63642586138	100
		* Mac	la ta ardar

* Made-to-order

ROLLS

A range of high performance abrasive rolls for fairing, shaping, sanding and finishing pannels, boats, plugs and moulds. They are easy to use and compatible with any sanding block, file and fairing board.

MESH POWER ROLLS CERAMIC M920 +++++

- Ceramic grain provides the highest performance thanks to its microfracturing properties which mean the abrasive stays sharper and lasts longer than other rolls
- Ideal for a wide range of surfaces and applications including primer, filler, paint, lacquer, fibreglass, aluminium, gel coat and plastic in panel repair, spot repair and bumper repair on used or new panels
- The abrasive grain is impregnated with No-Fil® coating, which resists clogging and extends the product life
- Works perfectly wet or dry, by hand or with a machine

Grit	70mm x 10m	115mm x 10m	PK QTY	BOX QTY
NEW 60	78072712625	78072712624	1	4
80	69957326171	69957326269	1	4
120	69957326176	69957326270	1	4
180	69957326178	69957326271	1	4
240	69957326179	69957326272	1	4
320	69957326182	69957326273	1	4



MESH-POWER

MANUAL SANDING





NORTON PRO PAPER ROLLS A275

- Aluminium oxide abrasive with No-Fil® layer cuts fast and helps prevent loading, meaning the sanding rolls can be used for longer
- Ideal for sanding filler, primer, gel-coat, aluminium, wood and composite materials

100mm x 50m	115mm x 50m	PK QTY
63642591122	69957380739	2
63642591123	69957380761	2
69957391073	69957380765	2
63642591124	69957380767	2
63642590924	69957380769	2
63642590927	69957380777	2
	69957380778	2
63642591649	69957380779	2
69957391077	69957380781	2
	69957396696	2
	63642591122 63642591123 69957391073 63642591124 63642590924 63642590927 63642591649	63642591122 69957380739 63642591123 69957380761 69957391073 69957380765 63642591124 69957380767 63642590924 69957380769 63642590927 69957380777 63642591649 69957380778 63642591649 69957380778 63957380778 69957380781



SELF-GRIP ROLLS H231

- Thanks to the E-weight paper backing combined with a premium resin bond, this aluminium oxide roll is designed for heavy duty sanding on metal, filler, primer, wood and solid surfaces
- Anti-static No-Fil® treatment applied to the abrasive prevents clogging when in use

115mm x 25m	ΡΚ QTY
69957391121	2
69957391123	2
69957391133	2
	69957391121 69957391123





NORTON PRO SELF-GRIP ROLLS A275

- Aluminium oxide abrasive with No-Fil® layer cuts fast and helps prevent loading, meaning the sanding rolls can be used for longer
- Ideal for sanding filler, wood, fiberglass and composites

Grit	115mm x 25m	PK QTY
120	69957391218	2
150	69957391219	2
180	69957391220	2
220	69957391221	2
240	69957391222	2
320	69957391224	2
400	69957391225	2


SANDING BLOCKS, KITS & HOSES

Multi-Air sanding blocks are ergonomic, resistant and built for the best dust extraction. The special rubber grip provides good and handling. All the Multi-Air blocks are provided with a regulating valve to regulate suction power and optimize air/dust flow.

MANUAL

MULTI-AIR SANDING BLOCKS

- The perfect partner for Norton abrasives for high dust extraction, including Norton Cyclonic, Multi-Air or MeshPower, for cut sheets or rolls, available in a range of sizes for any product dimension
- An in-built air chamber keeps sanding dust-free and the workplace clean
- Robust, impact resistant plastic body that has been built to last and stand up to the rigours of day-to-day use
- Comfortable rubber grip helps the user maintain control over the process








70 x 400 mm

69957396648







ATTACHABLE HOSE

- A 4 m long flexible tube
- Supplied together with a conical universal adapter

DESCRIPTION	ART NO.	PK QTY
25/30mm x 4m	07660767979	1



MANUAL SANDING



SANDING BLOCK STARTER KIT

à contra

- Contains one sanding block in the following dimensions:
 - 70 x 125mm
 - 70 x 198mm
 - 70 x 400mm
 - 115 x 230mm
- Also contains valve and adaptor for fixing to the machine

	QTY IN	
DESCRIPTION	KIT	ART. NO.
Starter kit	1	69957396649



MULTI-AIR SANDING BLOCK

- Dogo
- Manual sanding block with a set of 3 self-gripping interchangeable plates: straight, concave and convex
- For use with 150mm Multi-Air discs, in self-grip or Soft-Touch
- Kit contains an air valve

	QTY IN	
DESCRIPTION	KIT	ART. NO.
Multi-Air sanding block kit	1	77696024493



SA	NDI	NG	DIS	CS

Cyclonic Multi-Air discs & starter kit	U
Multi-Air discs	
Mesh power discs	
Multi-Air back-up pads & interfaces	
Blue Fire discs	
Norton Pro & Pro Plus discs	
Norton Pro & Pro Plus smart repair discs	
Norton Pro film discs	
Gold Reserve discs	
Self-grip back-up pads & interfaces	
MACHINES & ACCESSORIES	- 65
DASP Machine	- 09
Vacuum System	
Accessories	
CUT SHEETS	20
Multi-Air cut sheets	00
Multi-air plus cut sheets	

SANDING DISCS

Norton has a sanding disc for every automotive refinish application. From cost effective aluminium oxide and aggressive Norzon grain to the highest performance ceramic sheets and discs, including Norton Cyclonic, the ultimate solution for the whole repair process. With standard, self-gripping, perforated and mesh backed discs, paint stripping, smoothing body filler, flattening sharp edges and sanding door panels has never been easier.



Norton Cyclonic is the ultimate all-in-one sanding system for car repair, colourcoded by application for quick and easy product selection. The next generation in sanding technology. The range includes: discs, rolls, dispenser and accessories.

NORTON CYCLONIC SANDING SYSTEM. SEE PAGE 06 FOR MORE INFORMATION





CYCLONIC MULTI-AIR A975

- Made with super sharp ceramic A975 grain and No-Fil® technology for the ultimate cutting performance and a longer product life than conventional grain types. Ceramic grains also cut cooler, and wear more evenly for a consistent finish.
- For finishing applications, finer grade discs have a thin foam backing which adapts to surface contours for a smooth, consistent finish. Use with a Multi-Air back-up pad for the best performance
- Ultra precise laser cutting technology produces a flatter disc, increasing the abrasive surface area and optimising dust extraction
- Self-grip backing and easy to align hole configuration reduces downtime wasted between disc changes

STEP	COLOUR	APPLICATION	BACKING	150 mm	PK QTY	BOX QTY
Optional	Blue	Stripping & levelling (heavy duty)	Self-Grip	66261151661	100	400
1	Green	Stripping & filler levelling	Self-Grip	66261151676	100	400
2	Red	Filler finishing	Self-Grip	66261151683	100	400
3	Salmon	Primer sanding	Micro Soft-Touch	66261151796	50	400
4	Fuchsia	Primer finishing	Micro Soft-Touch	66261151672	50	400
Optional	Turquoise	Fadeout & blending	Micro Soft-Touch	66261151684	50	400

MOUNTING: To be used on 150mm Multi-Air back-up pads on orbital sander.



CYCLONIC MULTI-AIR STARTER KIT

• This unique starter kit contains 30 Cyclonic Multi-Air sanding discs, 5 of each step and 1 back-up pad, providing all your customers need to trial the new sanding system

ART. NO.	PK QTY
66261151852	1



NORTON CYCLONIC DISPENSER

- A handy storage unit for organising and dispensing the full range of Norton Cyclonic discs and rolls.
- One dispenser fits two discs and two multiple units can be fixed together to store the whole range

ART. NO.	ΡΚ QTY
66261151832	1







Made with premium abrasive grain, Multi-Air discs provide substantially longer life thanks to excellent dust extraction which reduces clogging, and faster cut than conventional abrasives. Available with a Soft-Touch backing.







MOUNTING For use with a Multi-Air back-up pad on an orbital sander.

MULTI-AIR WITH NORZON TECHNOLOGY H835 #++++

00000

- Sharp NorZon grains cuts through old paint layers, body filler and smooth sharp edges with ease and the open coating helps to prevent clogging
- High strength E-weight paper backing is tear resistant and significantly reduces common issues such as curling and edge chipping
- A full resin bond system maintains grain adhesion, ensuring the grain stays intact for longer for maximum productivity for the life of the disc
- Self-grip backing facilitates quick and easy disc changing

	\bigcirc		
Grit	150 mm	PK QTY	BOX QTY
40	66261086898	50	200
60	66261086903	50	200
80	66261181412	50	200
120	66261086905	100	400






MULTI-AIR PLUS A975 +++++ 流

- SG ceramic blended with heat treated aluminium oxide grains provides a high, fast cut rate on primer, paint, composites, marine gel coat and non-ferrous metals
- The blend of grain provides a consistent and uniform scratch pattern, maintaining the desired surface finish and excellent wear resistance
- In P80 P120 discs, the backing is thicker for more aggressive use, P150 P80 is thinner, for better flexibility in finer applications
- The unique hole configuration and No-Fil® coating resists loading to extend disc life by up to two times longer than conventional discs when sanding dry or wet. Disc colour will not transfer to the surface of the working area

		1000 C		
GRIT	125 mm	150 mm	PK QTY	BOX QTY
80	63642563535	63642565916	100	400
120	63642563536	63642523429	100	400
150	63642563537	63642523430	100	400
180	63642563538	63642565920	100	400
220		63642523434	100	400
240	63642563540	63642523435	100	400
280		63642523436	100	400
320	63642563542	63642523437	100	400
400	63642563543	63642565925	100	400
500	66254477930	66254477924	100	400
600		63642532657	100	400
800	66254477934	66254477926	100	400





MOUNTING For use with a 125mm and 150mm medium or hard Multi-Air back-up pad on an orbital

sander.

MULTI-AIR PLUS SOFT-TOUCH A975

- Premium, SG ceramic grain blended with heat-treated aluminium oxide grains provide excellent cutting action for a very high level finish
- The foam backing is colour coded to aid quick product identification for each stage of sanding
- Fibre-reinforced latex paper creates a flexible and tear resistant backing
- Unique hole configuration and No-Fil® coating significantly improves load resistance with no risk of colour transfer thanks to the pigment free layer

COLOUR	GRIT	APPLICATION	150 mm	PK QTY	BOX QTY
Red	220	Sanding filler before primer	66261110863	20	120
Salmon	320	Sanding cataphoretic coats and primer	63642595575	20	120
Yellow	400	Sanding polyurethane primer	63642595577	20	120
Blue dark	500	Sanding polyurethane primer	66254477927	20	120
Blue	800	Cutting back lacquer before a flush joint	66254477932	20	120
White	1000	Blending on clear coat	63642536301	20	120
Green	1500	Before polishing and buffing	66261110864	20	120

MOUNTING

For use with a Multi-Air back-up pad on an orbital sander.





14/1/47

MULTI-AIR PLUS STARTER KIT A975

• Contains a Multi-Air back up pad and variety of discs with the Multi-Air hole configuration, providing all you need to trial the Multi-Air Process system

GRIT	DESCRIPTION	QTY IN KIT	ART. NO.	PK QTY
	Medium Multi-Air Pad	1	_	
P80	Multi-Air Plus	5		
P120	Multi-Air Plus	5	-	
P240	Multi-Air Plus	5		
P320	Multi-Air Plus	5	69957395370	1
P400	Multi-Air Plus	5		
P400	Multi-Air Plus Soft-Touch	5	-	
P500	Multi-Air Plus Soft-Touch	5	-	
P800	Multi-Air Plus Soft-Touch	5	-	

MULTI-AIR STARTER KIT A275

GRIT	DESCRIPTION	QTY IN KIT	ART. NO.	PK QTY
	Medium Multi-Air Pad	1		
P80	Multi-Air Norzon	5		
P120	Multi-Air	5		
P240	Multi-Air	5		
P320	Multi-Air	5	63642587576	1
P400	Multi-Air	5	-	
P400	Multi-Air Soft-Touch	5	-	
P500	Multi-Air Soft-Touch	5		
P800	Multi-Air Soft-Touch	5		






MULTI-AIR A275 /++++/



- Premium, heat-treated aluminium oxide grains provide a fast cut rate in the final sanding stages
- Fibre-reinforced latex paper creates a flexible and tear resistant backing
- Unique hole configuration and No-Fil coating significantly improves load resistance and eliminates the risk of colour transfer thanks to the pigment free layer

P80 63642563513* 63642560561* 10 P120 63642563514* 63642560562* 10 P150 63642563515* 63642560563* 10 P180 63642563516* 63642560564* 10 P220 63642563517* 63642560565* 10		
P120 63642563514* 63642560562* 10 P150 63642563515* 63642560563* 10 P180 63642563516* 63642560564* 10 P220 63642563517* 63642560565* 10	K QTY	ΒΟΧ ΩΤΥ
P150 63642563515* 63642560563* 11 P180 63642563516* 63642560564* 10 P220 63642563517* 63642560565* 10	00	400
P180 63642563516* 63642560564* 10 P220 63642563517* 63642560565* 10	00	400
P220 63642563517* 63642560565* 10	00	400
	00	400
P240 63642563518* 63642560566* 10	00	400
. 2.6	00	400
P280 63642560567* 10	00	400
P320 63642563520* 63642560568* 10	00	400
P360 63642560569* 10	00	400
P400 63642563522* 63642560570* 10	00	400
P500 63642563523* 63642560571* 10	00	400
P600 63642563524* 63642560572* 10	00	400
P800 63642563525* 63642560573* 10		





* Made-to-order

MULTI-AIR SOFT TOUCH A275

- Premium, heat-treated aluminium oxide grains provide excellent cutting action for a very high level finish
- The foam backing is colour coded to aid quick product identification for each stage of sanding
- Fibre-reinforced latex paper creates a flexible and tear resistant backing
- No-Fil® coating is both water based and pigment-free to significantly improve load resistance and eliminate the risk of colour transfer

COLOUR	GRIT	APPLICATION	150 mm	PK QTY	BOX QTY
Red	220	Sanding filler before primer	66261032770*	20	120
	320	Sanding cataphoretic coats and primer	66261032772*	20	120
	400	Sanding polyurethane primer	66261032773*	20	120
Blue dark	500	Sanding polyurethane primer	66261032774*	20	120
Blue	800	Cutting back lacquer before a flush joint	66261032775*	20	120
White	1000	Blending on clear coat	66261034247*	20	120
Green	1500	Before polishing and buffing	66261034248*	20	120
MOUNTING: To b	e used on Ø1	25mm and Ø150mm Multi-Air back-up pads on o	rbital sanders.	* Made	-to-order



Experience powerful dust extraction with Norton MeshPower. A significant upgrade on traditional perforated discs, this solution is truly multi-functional.

FOR MORE INFORMATION ON MULTI-AIR SEE PAGE 08

APPLICATION GUIDE

GRIT	APPLICATION	BACK-UP PAD	DA SANDER	RPM
P80	Heavy stripping, reinforced filler leveling	Multi-Air		
P120	Paint stripping, filler leveling	HARD	Orbit	
P180	Filler sanding, plastic sanding (bumpers)		5mm	
P240	Filler sanding, plastic finishing (bumpers)	Multi-Air		
P320	Panel sanding, primer sanding	MEDIUM	Orbit	
P400	Pimer finishing		2,5mm	





- Ceramic grain provides the highest cutting performance thanks to its microfracturing properties, meaning the abrasive stays sharper and lasts longer than the aluminium oxide version
- For use on primer, filler, paint, lacquer, fibreglass, aluminium, gel coat and plastic in panel repair, spot repair and bumper repair on used or new panels
- No-Fil® technology is applied to the abrasive grain for longer product life and a consistent cut for the entire life of the disc
- Abrasive can be used wet or dry for the perfect result

			РК	вох
GRIT	150 mm	203 mm	QTY	QTY
NEW 60	78072712627	78072712626	50	400
80	69957325723	69957336072	50	400
120	69957325730	69957336073	50	400
180	69957325731	69957336075	50	400
240	69957325732	69957336076	50	400
320	69957325733	69957336077	50	400
400	69957325736	69957336078	50	400

MOUNTING

For best performance, use with Multi-Air back-up pad, and for longer pad life, use with the pad saver







MESHPOWER ALUMINIUM OXIDE M220

- A good choice for sanding primer, filler, paint, lacquer, fibreglass, aluminium, gel coat and plastic in panel repair
- No-Fil® coating resists loading and provides consistent sanding for the entire life of the disc
- Ideal for wet or dry processes
- The self-gripping mesh backing not only provides unbeatable dust extraction, but saves time when changing over; just apply, and carry on

		РК	вох
GRIT	150 mm	QTY	QTY
80	69957326274	50	400
120	69957326275	50	400
180	69957326276	50	400
240	69957326277	50	400
320	69957326278	50	400
400	69957326279	50	400





MOUNTING

For best performance, use with Multi-Air back-up pad, and for longer pad life, use with the pad saver

MULTI-AIR BACK-UP PADS

- The Multi-Air back-up pad draws dust into a collection chamber for optimal airflow and powerful dust extraction
- The innovative design delivers high performance and a smoother, unblemished work surface. This is alongside the additional benefit of a clean working environment.
- Multi-Air back-up pad 150mm is available in 3 densities (125mm in medium and soft).
- Packed in individual boxes with Festool and Rupes adapters, M8 and 5/16" bolts, 1 metal and 3 fibre ring spacers to fit all the most common sanders in the market



	* Made-to-	order	** High Temp	eratu
DENSITY	APPLICATIONS			
Hard	Heavy duty sanding, best for flat surfaces or dimensions			
Medium	Scuffing, shaping, sanding and finishing, for use on filler, primer, paint, clear coat, wood, pla	aster, comp	osites, meta	ι
Soft	Final sanding, to obtain the best finishes			
SIZES	ТҮРЕ	ART	⁻ NO.	PK QT
	Soft	636	42563534	1
125mm	Medium (Suitable for Festool)	636	42563533	1
	Medium HT** (Compatible with most common brands such as Dynabrade, Rupes, except Fest		61067436	
	Soft	636	42560605	1
	Medium HT** (Suitable for Festool and Rupes)	636	42585872	1
150mm	Medium HT** - Fixed screw (Compatible with most common brands such as Dynabrade, Rupes, except Festool. No Adapters & spacers)	636	42582245	1
-	Hard	076	60719198	1
	Adapter for Rupes	636	42526648*	1
	Adapter for Rupes SK2	662	61131280	1



MULTI-AIR INTERFACE PADS

DIAMETER	ART NO.	PK QTY
125 mm	63642585864	16
150 mm	07660719359	12



PAD SAVER

TYPE / GRADE	ART NO.	PK QTY
Multi-Air	69957328425	1
14+1 holes	69957328430	1
	Multi-Air	Multi-Air 69957328425



BLUE FIRE H835 *+++++*

- Sharp Norzon grains cut through old paint layers, body filler and smooth sharp edges with ease and the open coating helps to prevent clogging
- High strength E-weight paper backing is tear resistant and significantly reduces common issues such as curling and edge chipping
- A full resin bond system maintains grain adhesion, ensuring the grain stays intact for longer for maximium productivity for the life of the disc
- Self-grip backing facilitates quick and easy disc changing











	NO HOLES	7 HOLES	9 HOLES	15 HOLES	8 HOLES	PK
Grit	150 mm	150 mm	150 mm	150 mm	203 mm	QTY
40	69957390933	69957391250*	69957391258*		69957391263	25
40				66254444904		50
60	69957390940	69957391255*	69957391260*		69957391268	25
60				66254444905		50
80	69957391248	69957391256*	69957391261*	66254444908	69957391269	50
120	69957391249	69957391257*	69957391262*		69957391272	50
120				66254444909		100
						* • • • • • • • • • • • •

* Made-to-order



NORTON PRO PLUS A975 ++++

- Using a combination of SG and premium heat-treated aluminium oxide grains, Norton Pro Plus provides excellent cutting with a uniform scratch pattern on primer, paint, composites, marine gel coat, non-ferrous metals and ceramic coatings
- Thanks to the combination of premium grain, Pro Plus has the most aggressive yet cool cut with excellent wear resistance, lasting up to twice as long as conventional discs
- In P80 P120 discs, the backing is thicker for more aggressive use, P150 - P80 has a thinner paper backing for better flexibility in finer applications
- The No-Fil® coating resists loading to extend disc life when sanding dry or wet. Disc colour will not transfer to the surface of the working area





	6					
Grit	7 HOLES 150 mm	9 HOLES 150 mm	15 HOLES 150 mm	8 HOLES 203 mm	PK QTY	BOX QTY
80	63642527655*	63642527612*	66254477881		100	400
80				66261111705	100	100
120	63642527659*	63642565918*	66254477879		100	400
120				66261111708	100	100
150	63642527657*	63642565919*	66254477882		100	400
150				66261111709	100	100
180	63642527661*	63642527633*	66254477883		100	400
180				66261111710	100	100
220	63642527662*	63642565921*	66254477884		100	400
220				66261111713	100	100
240	63642527666*	63642565922*	66254477885		100	400
240				66261111714	100	100
280	63642527667*	63642565923*	66254477886		100	400
320	63642527669*	63642565924*	66254477887		100	400
320				66261111715	100	100
400	63642527670*	63642527647*	66254477888		100	400
500	66254476604*	66254477132*	66254476601		100	400
600	66261108636*	66261108637*	63642532659		100	400
800	66254476617*	66254477133*	66254479091		100	400

MOUNTING

For use with a 150mm Norton back-up pad on an orbital sander.



NORTON PRO PLUS SOFT TOUCH A975

- Premium, SG ceramic grain blended with heat-treated aluminium oxide grains provide excellent cutting action for a very high level finish
- The foam backing is colour coded to aid quick product identification for each stage of sanding and increasing the quality of surface finish by conforming to curves, edges and contours
- Fibre-reinforced latex paper creates a flexible and tear resistant backing
- No-Fil® coating is both water based and pigment-free to significantly improve load resistance and eliminate the risk of colour transfer

MOUNTING: For use with a medium 150mm Norton self-grip back-up pad on an orbital sander



			15 HOLES		
COLOUR	GRIT	APPLICATION	150 x 14 mm	ΡΚ QTY	BOX QTY
Salmon	320	Sanding polyurethane primer	66261108763	20	80
Yellow	400	Sanding polyurethane primer	66261108817	20	80
Blue dark	500	Sanding polyurethane primer	66261108819	20	80
Blue	800	Cutting back lacquer before a flush joint	66261108820	20	80
White	1000	Retouching clear coat	66261108822	20	80
Green	1500	Before polishing and buffing	66261110861	20	80



MOUNTING To be used on 76mm pad. Use interface pad with finer grits.

See page 64.

NORTON PRO PLUS SMART REPAIR A975 #++++

- When an operation calls for more precision or is in a small area, the Norton Smart repair system offers a premium sanding solution in small disc size
- Using a combination of SG and premium heat-treated aluminium oxide grains, Norton Pro Plus provides excellent cutting performance
- The self-grip fixing system allows quick, easy disc changing, reducing down time and increasing productivity
- Reinforced B-weight latex paper provides better tear resistance & flexibility

Grit	NO HOLES 76 mm	PK QTY	BOX QTY	Grit	NO HOLES 76 mm	PK QTY	BOX QTY
80	63642575308*	50	200	320	63642575531*	50	200
120	63642575521*	50	200	400	63642575532*	50	200
150	63642575526*	50	200	500	63642575533*	50	200
180	63642575527*	50	200	800	63642575534*	50	200
220	63642575528*	50	200	1000	63642575535*	50	200
240	63642575529*	50	200			* Made	-to-order



NORTON PRO A275 /++++/



- Heat-treated high performance aluminium oxide grain provides Norton Pro with a fast cut rate and a consistent, uniform scratch pattern
- Discs are flexible and tear resistant due to their fibre-reinforced latex paper backing which is heavier in grits P80 to P120 for more aggressive applications and lighter weight in finer grits for more flexibility
- The No-Fil® layer is added to resist loading and is pigment-free, which eliminates the risk of colour transfer to the surface
- MOUNTING: Norton Pro discs are for use on orbital sanders with 150mm and 203mm back-up pads. For detailed information see page 74-75.






		6			
GRIT	NO HOLES 150 mm	7 HOLES 150 mm	9 HOLES 150 mm	15 HOLES 150 mm	8 HOLES 203 mm
80	63642585184	63642557950*	63642557968*	66254405540	63642585236
100	63642585186	63642586135*	63642585059*	66254405542	63642585242
120	63642569701	63642557954*	63642557969*	66254405528	63642585243
150	63642569702	63642586141*	63642557970*	66254405530	63642585244
180	63642585190	63642586142*	63642585064*	66254405546	63642585245
220	63642585194	63642586143*	63642585065*	66254405548	
240	63642585197	63642557955*	63642585067*	66254405549	63642585248
280	63642585199*	63642586144*	63642585069*	66254405550	
320	63642569704	63642557959*	63642557973*	66254405539	63642585250
360	63642585205*	63642586148*	63642585078*	66254405551	
400	63642585214	63642557962*	63642557974*	66254405552	63642585252*
500	63642585217	63642586150*	63642557975*	66254405553	
600	63642585220	63642557964*	63642585073*	66254405554	
800	63642585223	63642584990*	63642585074*	66254405555	
PK QTY	100	100	100	100	100
BOX QTY	100	400	400	400	100

MOUNTING

For use with 150mm and 203mm Norton back-up pad on an orbital machine



* Made-to-order





NORTON PRO SOFT TOUCH A275

- Soft-Touch discs have a colour coded foam backing designed to make sanding curves and contours easy and product identification instant
- Premium, heat-treated aluminium oxide grain delivers a rapid cut rate and outstanding performance with a fluid and linear sanding result without cutting through to the paint layer
- The No-Fil® layer resists dust build-up on the disc, maintaining excellent cutting action throughout the disc life
- Fibre-reinforced latex paper backing makes discs tear resistant and flexible, supporting applications from sanding to finishing

			•				
COLOUR	GRIT	APPLICATION	7 HOLES 150 x 14 mm	9 HOLES 150 x 18 mm	15 HOLES 150 x 14 mm	PK QTY	BOX QTY
Salmon	320		63642557543*		66623382800	20	80
Yellow	400	Sanding polyurethane primer	63642557546*	63642557569*	66623382802	20	80
Blue dark	500		63642557548*	63642557570*	66623382803	20	80
Turquoise	800	Cutting back lacquer before a flush joint	63642557551*	63642557571*	66623382804	20	80
White	1000	Retouching clear coat	63642557556*	63642557573*	66623382806	20	80
Green	1500	Before polishing and buffing	63642557559*	63642557574*		20	80

* Made-to-order

MOUNTING

For use with a medium 150mm Norton self-grip back-up pad on an orbital sander



NORTON PRO SMART REPAIR DISCS A275

- When an operation calls for more precision or is in a small area, the Norton Smart repair system offers a good sanding solution in small disc size
- Heat-treated high performance aluminium oxide grain provides Norton Pro with a fast cut rate and a consistent, uniform scratch pattern
- Flexible & tear resistant due to their fibre-reinforced latex paper backing which is thicker in coarser grits to support more aggressive applications
- The No-Fil® layer is added to resist loading and is pigment-free, which eliminates the risk of colour transfer to the surface

Μ	0	U	Ν	ΤI	Ν	G

To be used on 76mm pad. Use interface pad with finer grits. See page 64.

GRIT	NO HOLES 76 mm	PK QTY	BOX QTY	GRIT	NO HOLES 76 mm	PK QTY	BOX QTY
80	63642585133	50	100	320	63642569699	50	100
150	63642585148	50	100	400	63642585169	50	100
180	63642585150	50	100	500	69957391303	50	100
220	63642585153	50	100	800	63642585172	50	100
240	63642585156	50	100	1000	63642585180	50	100



NORTON PRO FILM Q275 /++++/

Dogoo

- The film backing is key to this product, providing a smooth, consistent scratch pattern for a flawless finish
- The film backing is also strong and tear resistant and being selfgripping, disc changes are quick and easy, speeding up process time
- Heat-treated aluminium oxide grain with No-Fil® stearate layer on the abrasive, limits dust build-up when dry sanding for fast cutting and good material removal rate
- A wide grit range available from P8 to P15 for the most common sanding and preparation applications



_	

l

GRIT	15 HOLES 150 mm	PK QTY	BOX QTY	GRIT	15 HOLES 150 mm	PK QTY	BOX QTY
80	77696085879	100	400	400	77696088151	100	400
120	77696088028	100	400	500	77696088152	100	400
150	77696088145	100	400	600	77696088153	100	400
180	77696088146	100	400	800	77696088154	100	400
220	77696088147	100	400	1000	77696088155	100	400
240	77696088149	100	400	1200	77696088156	100	400
320	77696088150	100	400	1500	77696088388	100	400

MOUNTING

For use with a 150mm Norton self-grip back-up pad on an orbital sander

GOLD RESERVE A296 +++




- With sharp aluminium oxide grains, Gold Reserve is ideal for feather edging, stripping old paint and dry sanding of filler
- Durable latex paper backing supports tougher applications whilst maintaining flexibility and is resistant to tearing
- The No-Fil® water based stearate layer prevents dust build-up on the disc meaning it can be used for longer until being changed





	15 HOLES				15 HOLES		
GRIT	150 mm	PK QTY	BOX QTY	GRIT	150 mm	ΡΚ QTY	BOX QTY
80	66261097523	100	400	280	66261097537	100	400
120	66261097529	100	400	320	66261097538	100	400
150	66261097531	100	400	400	66261097539	100	400
180	66261097532	100	400	500	66261097540	100	400
220	66261097533	100	400	600	66261097542	100	400
240	66261097534	100	400	800	66261097543	100	400



NEW NORTON A293 +++



- No-Fil® stearate treatment on top of high performance aluminium oxide abrasive reduces clogging and dust build-up in all sanding applications for a smooth finish.
- Light and flexible paper backing provides a consistent scratch pattern, with a smooth surface finish in fine applications.
- Durable and performing disc for sanding applications on paint and solid surfaces

Grit	15 HOLES 150 mm	PK QTY	BOX QTY	Grit	15 HOLES 150 mm	PK QTY	BOX QTY
80	78072710209	100	400	280	78072710219	100	400
120	78072710197	100	400	320	78072710221	100	400
150	78072710210	100	400	400	78072710222	100	400
180	78072710211	100	400	500	78072710224	100	400
220	78072710212	100	400	600	78072710226	100	400
240	78072710216	100	400	800	78072710227	100	400



SELF-GRIP BACK-UP PAD

- Spindle mounted back-up pad
- Ideal for all self-grip discs

DIAMETER	PERFORATIONS	TYPE	Soft	Medium	Hard	PK QTY
76 mm	No perforations	5/16"		63642567810		6
	No perforations	5/16" & M8		66623338436		1
150 mm	6+1 holes	5/16" & M8	66623338441*	66623338445	66623338446	1
150 mm	8+1 holes	5/16" & M8	66623338447*	66623338448		1
	15 holes	5/16" & M8	66623338452	66623338450	66623338451	1
203 mm	8 holes	M5		69957371442*		3
	TYPE		PK QTY		* Made	e-to-order
150	Adapter for Rupes	63642526648*	1			
150mm	Adapter for Rupes SK2	2 66261131280	1			
		* Ma	de-to-order			



NORTON PRO SELF-GRIP FOAM INTERFACES

• Super soft interfaces with 10mm foam thickness for the best finish even on curved surfaces.

DIAMETER	PERFORATIONS	ART NO.	PK QTY
76 mm	No perforations	69957394589	10
150	6+1 holes	07660707383*	10
150 mm	15 holes	07660719360	10

* Made-to-order

NORTON SELF-GRIP DUO FOAM INTERFACES

• Soft flat interfaces for finishing operations to reduce the risk of scratches thanks to the natural rubber and the gripping system, which features the 'flat-top mushroom' shape

DIAMETER	PERFORATIONS	ART NO.	PK QTY
76 mm	No perforations	63642567831	12
	No perforations	63642567836	6
150 mm	6 holes	63642567837	6
	14+1 holes	63642567840	6



NEW DUAL ACTION SANDER PNEUMATIC DASP

- Compact, lightweight and ergonomic sander designed to reduce vibration and hand/arm fatigue when used over long periods, for better sanding control.
- Available in two rotational orbit sizes; 5mm for faster sanding and 2.5mm for an excellent finish.
- Includes a 360° adjustable muffler-cap to reduce sharp noise and a metal-muffler inside to reduce oil accumulation, designed to ensure smooth running and extend machine life.
- 12.000 rpm, adjustable speed, best sanding results were achieved when used with the Multi-Air back-up pad, that is included inside the box

MODEL	PAD SIZE	DIA. ORBIT	VACUUM	WEIGHT	ART NO.
150/5.0	6" / 152mm	5 mm	Central vacuum	750g	78072723478
150/2.5	6" / 152mm	2.5 mm	Central vacuum	710g	78072723484





NEW NORTON VACUUM SYSTEM CV4E

- A reliable, mobile and effective vacuum, that can be used with or without power tools
- Powerful vacuum technology with automatic filter cleaning system ideal for moderate dust levels in body shops and work shops
- User friendly control panel and NONSTOPVAC! system ensures constant vacuuming significantly reducing downtime and maintaining high suction performance
- Very practical accessory organization directly on the vacuum thanks to holder, supports and compartments

DESCRIPTION	VOLUME	FILTER CLASS	DIMENSIONS	WEIGHT	ART NO.
CV4E 40:L	40 L	L (low hazard)	625 x 385 x 545mm	21 kg	78072754265
CV4E 40:M	40 L	M (medium hazard)	625 x 385 x 545mm	21 kg	78072754268

PNEUMATIC MODULE KIT

- Allows the connection of pneumatic tools to the vaccum
- Easy to install directly under the control panel
- Use a co-axial pneumatic hose to complete the system

	QTY IN	
DESCRIPTION	KIT	ART. NO.
Pneumatic module kit	1	78072755387





ANTISTATIC CLEANER KIT

- Kit includes a floor brush, handle, crevice tool and a metal extension kit 0.50 cm (2 pieces)
- The antistatic accessories are designed to protect against any electric shock that may occur during use

DESCRIPTION	QTY IN KIT	ART. NO.	
Chrome extension tubes 0.5m	2		
Transport handle	1	78072756753*	
Dry floor tool	1	- 78072756753	
Vacuum crevice tool	1		
		* Made-to-order	



VACUUM SYSTEM ACCESSORIES

- Accessories for Norton Vacuum System CV4
- Suitable for electric & pneumatic option
- All hoses are suitable for most common vacuums
- Antistatic accessories protect against any electric shocks that may occur during use



DESCRIPTION	APPLICATION	TYPE/DIMENSIONS	PK QTY	ART NO.
Flat filter	For vacuum CV4E/P	Class L/M	1	78072756714
Fleece filter bags	For vacuum CV4E/P		10	78072756715
PE bag	For vacuum CV4E/P		1	78072756716
Transport handle kit	For vacuum CV4E/P		1	78072756754*
Box adapator kit	For vacuum CV4E/P	Suitable for most common systems	2	78072756755*
Remote control kit	For vacuum CV4E/P		1	78072756756*
Aspiration hose	For vacuum, antistatic	Lenght: 5m, Dia: 29mm	1	78072757323
Aspiration hose	For vacuum, antistatic	Lenght: 7m, Dia: 29mm	1	78072757449
Aspiration hose	For vacuum, antistatic	Lenght: 10m, Dia: 29mm	1	78072757450
Co-axial pneumatic hose	For vacuum	Lenght: 5m, Dia: 29mm	1	78072757452
Co-axial pneumatic hose	For vacuum	Lenght: 7m, Dia: 29mm	1	78072757454
Co-axial pneumatic hose	For vacuum	Lenght: 10m, Dia: 29mm	1	78072757455
"Y" Connector	For connecting 2 Tools to a vacuum	Suitable for hoses Dia 29mm	1	78072757457

* Made-to-order

BODY SHOP TROLLEY

- A practical work station for use in a body shop to store products close to the repair area
- Metal trolley is portable for moving to different areas.
- Three shelves are included for maximum product storage

ART NO.	ΡΚ QTY
66254425276	1



DEFECT GUIDE COAT

- Quickly identifies pinholes and deep scratches in primer to ensure the total primed area is sanded prior to top coating
- Does not require masking and takes no time to dry
- Does not contain solvents and can be used for both wet and dry sanding

VOLUME	ART NO.	PK QTY
100g	77696072696	6




CUT SHEETS

A full range of cut sheets that are ideal for machine sanding. Encompassing multiple dimensions, grits and features that make this versatile collection suitable for a wide variety of commonly encountered applications. Each product offers the same great Norton quality and the highest standards of efficiency and usability.

MULTIÂAI

Norton Multi-Air cut sheets are specially designed for maximum dust extraction in dry sanding operations, to cut faster, run cooler, resist loading and last longer than conventional sandpaper.





WITH NORZON TECHNOLOGY

MULTI-AIR WITH NORZON TECHNOLOGY H835 #++++

- Aggressive cutting performance for heavy applications including paint stripping and removal of body filler when sanding and flattening sharp edges, whilst imparting a consistent and uniform scratch pattern
- Heavy E weight paper backing adds resistance to help this range withstand tough removal of filler on bare metal

Grit	70 x 420 mm	115 x 230 mm	115 x 420 mm	PK QTY	BOX QTY
40	69957394450	69957394452		50	200
60	69957394358	69957394453	66261066782*	50	200
80	69957394360	69957394454	66261066783*	50	200
120	69957394361	69957394455		50	200

* Made-to-order



MULTI-AIR PLUS A975 +++++

- The advanced No-Fil® coating both prevents build-up of dust and avoids premature clogging. In very fine grits, it can be used for final dry sanding before spraying, without the risk of developing runs
- Patented Norton ceramic grain is blended with premium heat-treated aluminium oxide to deliver a very high cut rate that lasts up to twice as long as conventional abrasives and imparts a consistent, uniform scratch pattern
- A unique fibre-reinforced latex paper backing adds to the flexibility and makes the cut sheets tear resistant in all the applications
- Specifically designed for paint sanding from levelling filler to finishing primer





				РК	вох
Grit	70 x 420 mm	115 x 230 mm	115 x 420 mm	QTY	QTY
80	69957394463	69957394479	66261066786	50	200
120	69957394464	69957394481	66261066788	50	200
150	69957394465	69957394482	66261066791*	50	200
180	69957394466	69957394483	66261066792*	50	200
220	69957396406	69957396414	66261066796*	50	200
240	69957394467	69957394484	66261066793*	50	200
280	69957396407	69957396415	66261066800*	50	200
320	69957394468	69957394485	66261066794*	50	200
400	69957394469	69957394486	66261066795*	50	200

* Made-to-order



FINISHING

ROTOLO FOAM	72
Norton Pro Plus	- 72
Norton MAX	_
Norton Pro	
Gold Reserve	
BEARTEX NON-WOVEN	- 75
Rotolo rolls	- /5
BearTex hand pads	
BearTex discs	
Scuff Gel	_
Back-up pads	
WATERPROOF SHEETS	- 78
Waterproof sheets	
Sanding block for waterproof paper	_
Rossette discs & blocks	
SANDING SPONGES	00
Soft touch sanding sponges	00

FINISHING

ROTOLO FOAM

Rotolo Foam pre-cut sheets are ideal for fine sanding on round edges, contours and curves, providing a smooth finish on primers and top coats. The secret of Rotolo Foam lies in the combination of premium abrasive sanding paper and special foam backing. Rotolo is pre-cut to guarantee a straight edge when a piece is torn and prevents scratches from an unevenly torn edge.



NORTON PRO PLUS A975 +++++

- The best of the best Norton SG ceramic grain combined with heattreated aluminium oxide gives an outstanding cut rate
- Fibre reinforced paper combined with flexible foam backing is ideal for use on round edges, contours and curves without breaking through the paint
- No-Fil® treatment prevents clogging, increasing performance and lifetime
- Units are packed in a handy dispenser box and have colour coded labels that show the grit size for quick product selection and easy storage

LABEL	GRIT	APPLICATION	115mm x 25m	PK QTY	BOX QTY
Apple Green	120	Conding of hody filler	66261108905	1	2
Orange	150	Sanding of body filler	66261108906	1	2
Purple	180		66261108984	1	2
Red	220	Sanding of finishing filler	66261108986	1	2
Electric Blue	240	_	66261108989	1	2
Grey	280	Sanding cataphoretic coats and primer	66261108990	1	2
	320		66261108991	1	2
	400	Sanding polyurethane primer	66261108993	1	2
Blue dark	500		66261108994	1	2
Fuchsia	600	_	66261108995	1	2
Turquoise	800	Cutting back lacquer before a flush joint	66261108996	1	2
White	1000	Retouching clear coat	66261108997	1	2
Green	1500	Before polishing & buffing	66261108998	1	2



NORTON MAX A295 +++++

- White aluminium oxide grain is specially selected for finer sanding and finishing applications due to the quality of surface finish and the No-Fil® layer reduces clogging and improves product life
- Light flexible paper backing gives a smooth and consistent finish throughout the whole process
- The flexible foam is ideal for use on round edges, contours and curves without breaking through the paint
- Units are packed in a handy dispenser box and have colour coded labels that show the grit size for quick product selection and easy storage



LABEL	GRIT	APPLICATION	115mm x 25m	PK QTY	BOX QTY
Purple	180	Sanding of body filler	66261032478	1	2
Red	220	Sanding of finishing filler	66261032479	1	2
Electric Blue	240	Sanding of finishing filler	63642533809	1	2
Grey	280	Sanding cataphoretic coats and primer	63642533808	1	2
Salmon	320	Sanding cataphoretic coats and primer	63642533807	1	2
Yellow	400	Sanding polyurethane primer	63642533806	1	2
Blue dark	500	Sanding polyurethane primer	63642533805	1	2
Fuchsia	600	Sanding polyurethane primer	63642534524	1	2
Turquoise	800	Cutting back lacquer before a flush joint	63642533848	1	2
White	1000	Retouching clear coat	63642557616	1	2



FINISHING





NORTON PRO A275 ++++

- Norton Pro A275 is a premium abrasive available in the full grit range for all common sanding and finishing applications
- Flexible foam backing is ideal for use on round edges, contours and curves without breaking through the paint
- Rolls are washable, meaning dust is removed and each section can be reused
- Rolls are packed in a handy dispenser box and have colour coded • labels that show the grit size for quick product selection and easy storage

LABEL	GRIT	APPLICATION	115mm x 25m	PK QTY	BOX QTY
Apple Green	120		63642535316	1	2
Orange	150	Sanding of body filler	63642557584	1	2
Purple	180		63642557599	1	2
Red	220	Sanding of finishing	63642557600	1	2
Electric Blue	240	filler	63642557602	1	2
Grey	280	Sanding cataphoretic	63642557604	1	2
	320	coats and primer	63642557606	1	2
Pink	360		63642557607	1	2
	400	Sanding polyurethane	63642557608	1	2
Blue dark	500	primer	63642557611	1	2
Fuchsia	600		63642557612	1	2
Turquoise	800	Cutting back lacquer before a flush joint	63642557613	1	2
White	1000	Retouching clear coat	63642557616	1	2
Green	1500	Before polishing & buffing	63642557617	1	2





GOLD RESERVE A296

- With sharp aluminium oxide grains, Gold Reserve is available in coarser grades, ideal for feather edging, stripping old paint and dry sanding of filler by hand
- Durable B-weight latex paper backing supports tougher applications whist maintaining flexibility and is resistant to tearing
- The No-Fil® water based stearate layer prevents dust build-up on the disc meaning it can be used for longer until being changed

APPLICATION	115mm x 25m	PK QTY	BOX QTY
Sanding or finishing filler	66261097596	1	2
Sanding cataphoretic coats and primer	66261097598	1	2
	66261097599	1	2
Sanding polyurethane primer	66261097600	1	2
	66261097601	1	2
Cutting back lacquer before a flush joint	66261097602	1	2
	Sanding or finishing filler Sanding cataphoretic coats and primer Sanding polyurethane primer Cutting back lacquer before a	Sanding or finishing filler66261097596Sanding cataphoretic coats and primer66261097598Sanding polyurethane primer6626109759966261097600662610976006626109760166261097601Cutting back lacquer before a 6626109760266261097602	APPLICATION115mm x 25mQTYSanding or finishing filler662610975961Sanding cataphoretic coats and primer662610975981Sanding polyurethane primer662610975991Sanding polyurethane primer662610976001Cutting back lacquer before a662610976021

BEARTEX NON-WOVEN

BearTex is made from abrasive grain bonded to synthetic nylon to provide a pliable, long lasting solution for cleaning, finishing and blending applications on curved or flat surfaces.

The open mesh construction does not load with dust and shapes itself to contours for a uniform finish.

NON-WOVEN APPLICATION GUIDE



- BearTex is made from silicon carbide and aluminium oxide grains bonded to synthetic resins to provide a cushioned, 3D material which is pliable, long lasting and provides an excellent finish without cutting through the undercoat/paint layer
- The open mesh construction is both flexible and waterproof, meaning that it will not load, shapes itself to the contours of any surface and is washable and reusable
- From cleaning to finishing, BearTex can be used in many body shop applications as it is available in pads, rolls, and discs in very fine to micro fine grades

COLOUR	GRADE	GRIT GENERATED	FEATURES	APPLICATIONS
RED	Very fine	P320/400	Quick and aggressive cut. Tear-resistant.	Cutting back surface inside a brand new part.
GREY	Ultra fine	P600/800	Quick cut, uniform finish. Incredibly flexible, yet tear-resistant.	Finishing a primer on sharp edges. Gentle cutting back before flush joint. Can be used with Scuff Gel.
GOLD	Micro fine	P1000	Ideal for pearls and metallics.	Cleaning of clear coat or lacquer. Can be used with Scuff Gel.
WHITE	Non-abrasive	-	Use on all surfaces.	For final cleaning.

DIZ

ROTOLO BEARTEX PRE-CUT ROLLS

- Flexible, durable and perfect for use on contoured surfaces or hard to reach areas. Comes in a roll dispenser for easy storage and access to the product
- Available in silicon carbide (S) or aluminium oxide (A)

COLOUR	GRADE	DIMENSION	ART. NO	PK QTY	
BEARTEX THIN FLEX					
Red	Very fine A	115mm x 25m	77696042073	1	
Grey	Ultra fine S	115mm x 25m	77696042075	1	
BEARTEX STA	NDARD				
Red	Very fine A	115mm x 25m	77696009598	1	
Grey	Ultra fine S	115mm x 25m	77696042071	1	
Gold	Micro fine A	115mm x 25m	66261124481	1	
White	Non-abrasive	115mm x 25m	66261124480	1	





STANDARD ROLLS BEARTEX

• For cleaning and blending applications

COLOUR	GRADE	100mm x 10m	115mm x 25m	PK QTY
Red	Very fine A	66261018301	63642587694	2
Grey	Ultra fine S	66254470984	66623301430	2



PRE-CUT HAND PADS BEARTEX

• Excellent flexibility, easy to tear, for dry or wet use. Combine the grey and gold pads with Norton Scuff Gel to clean, degrease and abrade in one step.

COLOUR	GRADE	152 x 229mm	PK QTY
Red	Very fine A	66261058000	600 (20x3)
White	Non-abrasive	66261058001	60 (20x3)
Grey	Ultra fine S	66261058002	60 (20x3)
Gold	Micro fine A	66261058005	30 (10x3)



THIN-FLEX HAND PADS BEARTEX

• Thinner than standard BearTex, when greater precision is needed. Flexible and durable, for use on contoured surfaces and hard to reach areas.

COLOUR	GRADE	APPLICATION	115 x 230mm	PK QTY
Red	Very fine A	For use before primer and on primer surfaces. Removes rust and cleans off metal.	63642506166	100 (25x4)
White	Ultra fine S	Ideal for blending applications. Final scuffing of primer. Flexible. Non loading.	63642506167	100 (25x4)
Gold	Micro fine A	Use for fine finishing and clear blend prep. Ideal for pearls and metallics.	66261113519	100 (10x10)



PLAIN DISCS BEARTEX +++

• Three-dimensional discs that conform to panels and uneven surfaces thanks to the nylon fibre impregnated with abrasive

			РК
COLOUR	GRADE	150 mm	QTY
Red	Very fine A	63642557497	10
Grey	Ultra fine S	63642557498	10
	Micro fine A	69957383952*	10
		* Mac	le-to-ordei



DISCS BEARTEX +++

200000

- Three-dimensional discs that conform to panels and uneven surfaces thanks to the nylon fibre impregnated with abrasive
- Hole configuration designed to extract dust from the surface for a cleaner working environment and better surface finish

COLOUR	GRADE	7 HOLES 150 mm	PK QTY
Red	Very fine A	69957383151	10
Grey	Ultra fine S	69957383158	10
Gold	Micro fine A	69957383162	10



SCUFF GEL

- Norton Scuff Gel is formulated to clean, degrease and abrade in one step
- Designed for use with grey and gold BearTex pads, using Scuff Gel gives better paint adhesion
- The water based formula with very low in V.O.C (Volatile Organic Compounds) rinses easily and leaves no mess.

APPLICATIONS	ART NO.	WEIGHT	PK QTY
Use with grey and gold BearTex pads	63642574653	700 grams	6 bottles

BACK-UP PADS


DIAMETER	DENSITY	ART NO.	PK QTY
150 mm	Medium	69957382843*	1
		* Mad	e-to-order



FINISHING

WATERPROOF SHEETS

When hand sanding in wet applications, waterproof sandpaper is the product of choice. Offering flexibility, cleaner sanding and a consistent finish, chose from silicon carbide or aluminium oxide abrasive.





BLACK ICE T417 ++++

- Premium silicon carbide grain delivers a fast initial cut and imparts a consistent finish across the surface
- The synthetic bond gives flexibility to the sandpaper, without cracking or curling, ideal when used on vehicle contours
- Use with a sanding block on flat surfaces or by hand, the extended grit range into higher grades is ideal for finer finishing applications
- Use wet for sanding polyurethane primer and cutting back an old surface before spraying, can also be used for cutting back flush joints

GRIT	230 x 280mm	PK QTY	GRIT	230 x 280mm	PK QTY
80	66261021180	50	500	66261021192	50
120	66261021183	50	600	66261021193	50
180	66261021185	50	800	66261021195	50
220	66261021186	50	1000	66261021196	50
240	66261021187	50	1200	66261021197	50
280	66261021188	50	1500	63642534713	50
320	66261021189	50	2000	63642534719	50
360	66261021190	50	2500	63642565497	50



NORTON T489 /++++/

- Sharp silicon carbide grain cuts through rust and corrosion fast
- Flexible backing conforms to curves and contours, making T489 ideal for use on panels, wings, wheel arches and bumpers
- Can be used on lacquer, paint, metal, glass and composites
- Can be used wet or dry

GRIT	230 x 280mm	PK QTY	GRIT	230 x 280mm	PK QTY
60	63642532956	25	320	63642532995	50
80	63642532988	50	360	63642532996	50
100	63642532989	50	400	63642532997	50
120	63642532990	50	500	63642532998	50
150	63642532991	50	600	63642532999	50
180	63642532957	50	800	63642533000	50
220	63642532992	50	1000	63642533001	50
240	63642532993	50	1200	63642533002	50
280	63642532994	50			



SANDING BLOCK FOR WATERPROOF PAPER


70 x 120mm	PK QT
07660717789	12



FINISHING

SANDING SPONGES

Depending on the application, different grades are needed to ensure a perfect end result.



SOFT TOUCH SANDING SPONGES

- Thanks to the soft foam sponge backing, these sponges conform to the most complex shapes
- They generate a finer finish than conventional coated abrasives and when used wet, have a very long life

GRADE	GRIT	APPLICATION	140 x 115 x 6mm	ΡΚ QTY
Medium	60	Scuffing, shaping filler	63642550599	20
Fine	100	Feather edging, scuffing primer & new parts before painting	63642550601	20
Super fine	180	Preparing panel for base coat	63642550602	20
Ultra fine	220	Sanding base coat, removing clear coat defects	63642550603	20
Micro fine	280	Clear coat sanding, removing minor defects	63642550604	20

MICRO FINISHING

NORTON ICE RANGE	00
Discs	82
Foam interfaces	
Rossette discs & blocks	
Norton Ice starter kit	
	Q
Liquid Ice Compounds	86
POLISHING HEADS	88
Foam heads & lambswool	00
Back-up pads	
CLOTHS & TACK RAGS	— 89
Micro fibre cloths	07
Tack rags	
CLAY RANGE	<u> </u>
Clay discs	70
Clay glove	
Clay starter kit	
HEADLIGHT KIT	01
Headlight repair kit	7

MICRO FINISHING

NORTON ICE RANGE

The Ice range is a complete solution of abrasive discs, compounds, polishing heads, cloths and accessories designed to provide the ultimate finish. Combine Liquid Ice polishing compounds with Pure Ice Q175 or Norton Ice discs to remove defects quicker, more effectively and thereby reduce polishing time.



PURE ICE FILM DISCS Q175



- The ultra-thin film backing provides multiple benefits including excellent flexibility, allowing conformity to contours in the car body and it helps the discs to remain flat and prevent curling
- Patented resin technology promotes excellent grain adhesion that keeps the disc effective for longer and imparts a consistent finish that's easier to buff out
- Water based No-Fil® stearate coating resists loading, eliminates pigtails and further extends the life of the product
- Colour coded grits provide an at-a-glance identification of the correct product across all hole configurations including the dust reducing Multi-Air disc

COLOUR	GRIT	NO HOLES 76 mm	PK QTY	BOX QTY	7 HOLES 150 mm	9 HOLES 150 mm	15 HOLES 150 mm	MULTI-AIR 150 mm	PK QTY	BOX QTY
Black	800		50	300	66261110841*	66261110855*	66261110837		50	300
Red	1000	66261110859	50	100	66261110852*	66261110856*	66261110838	66261113819	50	300
Green	1200		50	300	66261110853*	66261110857*	66261110839		50	300
Blue	1500	66261110860	50	100	66261110854*	66261110858*	66261110840	66261113821	50	300

MOUNTING

For better results, use with the Norton Self-Grip Duo Foam Interfaces.

* Made-to-order



NEW NORTON SUPERFLEXIBLE Q775 FILM *#++++*

- Durable and very flexible film backing conforms better to the surface
- Superior fine grit abrasive for an excellent finish
- Consistent scratch pattern and even finish, easy to blend

COLOUR	GRIT	15 HOLES 150 mm	ΡΚ QTY	BOX QTY
Turquoise	600	78072723111	25	100
Citrine	800	78072723112	25	100
Amber	1200	78072723115	25	100
Rose	1500	78072723116	25	100
Jade	2000	78072723117	25	100
Meteorite	3000	78072723118	25	100



NEW NORTON SUPERFLEXIBLE Q775 FILM +++++

- Durable and very flexible film backing conforms better to the surface
- Superior fine grit abrasive for an excellent finish
- Consistent scratch pattern and even finish, easy to blend


COLOUR	Grit	170 x 130mm	PK QTY	BOX QTY
Turquoise	600	66623390551	25	100
Citrine	800	66623390552	25	100
Amber	1200	66623390554	25	100
Rose	1500	66623390555	25	100
Jade	2000	78072723119	25	100
Meteorite	3000	78072723120	25	100



SANDING BLOCK - SOFT 🎎

- Super soft foam sanding pad moulds to curves and contours of all surfaces
- Norgrip-Duo attaches to abrasive quickly and easily for quick product change over
- Helps to provide an even finish and prevent scratches in the surface

ART NO.	PK QTY
78072742353	8



DUAL SANDING BLOCK - RIGID/SOFT

- Double sided block with soft and rigid foam to support abrasive during sanding
- Norgrip Duo fixing allows the abrasive to be changed quickly and easily and prevents surface scratches

ART NO.	PK QTY
78072742355	4



NORTON ICE DISCS Q255 +++++

- Polish in spot repair applications faster thanks to the uniform cut, smooth finish and lower scratch depth
- The open mesh foam backing moulds to the surface for even distribution of pressure for consistent finish
- The mesh foam is waterproof, making the disc washable and reusable, can also be used by hand
- Colour coded discs make grit identification possible at-a-glance

COLOUR	GRADE	DIA (mm)	ART NO.	PK QTY	BOX QTY
Blue	1500		66623324958	12	24
Fuchsia	2000	80 mm	66623324955	12	24
Green	3000		66623324956	12	24
Blue	1500		66623324933	15	60
Fuchsia	2000	150 mm	66623324952	15	60
Green	3000		66623324954	15	60

FOAM INTERFACES



• Soft flat interfaces for finishing operations to reduce the risk of scratches thanks to the natural rubber and the gripping system, which features the 'flat-top mushroom' shape

DIAMETER (mm)	NO HOLES	6 HOLES	15 HOLES	PK QTY
76 mm	63642567831			12
150 mm	63642567836	63642567837	63642567840	6





BLACK ICE ROSETTE DISCS *+++++*

- Self-adhesive waterproof rosette discs combine a light weight paper backing with ultra fine grain for fine sanding applications in a small area
- Use with a sanding block, or by hand, to eliminate small flaws in lacquer (stone chips, paint runs etc.) before polishing or buffing
- Use with a sanding block for best results and an even finish
- Use wet for sanding polyurethane primer and cutting back an old surface before spraying, can also be used for cutting back flush joints

GRIT	38 mm	ΡΚ QTY
1500	63642534470	400
2000	69957360371	400
2500	63642561155	400

SANDING BLOCK FOR **ROSETTE DISCS** -38 mm PK QTY 12

63642567819



NORTON ICE STARTER KIT

- An ideal introduction to the Norton Ice range; containing discs, polishing compounds, foams, pads and a finishing spray
- An taster of the technologically superior products that Norton has to offer in helping to achieve the perfect finish

DESCRIPTION	QTY IN KIT	ART. NO.
Liquid Ice Detailer Spray	1	
Blue Magnet microfiber	2	
Liquid Ice OEM - 250ml	1	
Liquid Ice Quick Cut - 250ml	1	_
Soft black foam 80mm	2	_
Hard white foam 80mm	2	_
One box Norton Ice Grit 3000 80mm	6	
One box Norton Ice Grit 2000 80mm	6	66254488515
One box Norton Ice Grit 1500 80mm	6	_
Foam interface 76mm	2	_
Pad 76mm	2	_
Norwool 76mm	2	_
One box Pure Ice Q175- P1000 76mm	50	
Norton Ice Starter Kit	1	_
1 process chart "how to use Liquid Ice"	1	





MICR0 FINISHING



When only the perfect finish is acceptable, use Liquid Ice polishing compounds and accessories. By reducing the number of polishing steps required, Liquid Ice XtraCut, Quickcut and OEM are a practical solution to improve productivity and quality of work.

Reduce polishing time and overall bodyshop costs with Liquid Ice which reduces the number of steps required to get that showroom shine. Compounds are 0% silicon and water based so are contamination-free for a more environmentally friendly solution.



A polished finish can be achieved on most common clear coats using only Liquid Ice Xtra Cut, single step process. Use the single step process for quick applications and good results. If holograms appear or if a higher gloss finish is required (on black, metallic or pearl coating), use Liquid Ice Quick Cut and OEM, dual step process. The dual step process gives accurate results and an exceptional finish.





- Remove scratches in a single step after grade 2 and finer
- For best results, use with hard foam or lambswool polishing heads
- Only one step is required for the most common clear coat applications, for high gloss finishing and fast application

VOLUME	ART NO.	PK QTY
1 Litre	66623339742	6 bottles



LIQUID ICE - QUICK CUT

+ CUT INDICATOR - GLOSS INDICATOR +

- Polish after grade 15, use with hard foam or lambswool for best results
- Follow with OEM and black backed finishing foam to achieve a perfect gloss finish

VOLUME	ART NO.	PK QTY
1 Litre	66254429419	6 bottles



LIQUID ICE - OEM

+ CUT INDICATOR - - GLOSS INDICATOR +

• To remove holograms and clouds and improve gloss for a final finish

VOLUME	ART NO.	PK QTY
1 Litre	66261191537	6 bottles



LIQUID ICE DETAILER SPRAY

- Liquid Ice Detailer Spray cleans up excess buffing residue and provides paint protection
- Simply spray on and wipe off with a Blue Magnet microfibre cloth for the perfect shorwoom shine

VOLUME	ART NO.	PK QTY
1 Litre	63642574651	4 bottles





FOAM POLISHING HEADS

- An excellent combination of density and softness for polishing and creating shine
- The open cell design allows the compound to flow through and is held in the foam during use with little or no splattering

DESCRIPTION	BACKING COLOUR	DIMENSIONS (mm)	DENSITY / SHAPE	ART NO.	PK QTY
	Ded	80 x 25		63642537215	4 x 5 pcs
Cutting foam - white flat	Red	150 x 30	Hard / flat	63642537212	10 x 2 pcs
0.11. (\ A /I *i	80 x 25		63642541544	4 x 5 pcs
Cutting foam - white waffle	White 150	150 x 30	Hard / waffle	63642541644	10 x 2 pcs
F :	Black 80 x 25	80 x 25	C () / () .	66254441987	4 x 5 pcs
Finishing foam - black flat		150 x 30	Soft / flat	66254441985	10 x 2 pcs
		80 x 25		66623339749	4 x 5 pcs
General purpose foam - orange flat		150 x 30	Firm / flat	77696068719	10 x 2 pcs
orange nat		150 x 50		66623339748	10 x 50 pcs
Support pad - super comfort		125 - M14	Soft	63642541545	10 pcs

NORWOOL LAMBSWOOL POLISHING HEADS

- Norwool polishing heads are made from lambswool natural fibres for cool cutting and immediate shine
- Available in small and large sizes for all polishing needs

DIAMETER	ART NO.	PK QTY
150 mm	63642567955	6
76 mm	63642567956	12



BACK-UP PAD

- Made from neoprene rubber for optimal pressure dissipation
- Chamfered edges allow the pads to adhere to the contours of bodywork and reduce the risk of edge-cut
- Specially designed for microfinishing

DIMENSIONS	200 200	No.	ΡΚ QTY	
76mm - 5/16"	63642567810		6	
33mm - 5/16"	63642567811*		6	
150mm - M14		63642567812	3	*





MICROFIBRE CLOTHS

- High quality micro-fibres are lint-free for streak-free cleaning and won't scratch paint, or clear coat, leaving a high gloss shine
- To eliminate any possibility of scratching the surface, each cloth is laser cut and the care sticker is removable
- Each cloth absorbs eight times its weight in water and dries in half the time of a standard towel
- Perfect for polishing applications, washing, cleaning and detailing cars, trucks, boats, motorcycles and delicate surfaces and can be washed and reused, saving money

COLOUR	DIMENSIONS (mm)	ART NO.	ΡΚ QTY
Red		66261108196	20
White	400 x 400	66261108197	20
Black		66261108200	20



BLUE MAGNET MICROFIBRE CLOTH

- Blue Magnet is the ultimate performance cleaning cloth for general purpose applications such as dusting, drying, polishing and waxing
- Absorbs eight times its weight in water, dries faster than chamois material and is ultra soft, reusable and machine washable
- Blue Magnet can be used dry or slightly damp to easily remove dirt, grease and dust from most surfaces including metal, paint, glass, plastic and leather

DIMENSIONS (mm)	ART NO.	PK QTY
400 x 400	63642504402	5



MICRO FINSHING

COTTON TACK RAG

- The 100% bleached cotton (15 threads per sq inch) is coated with an adhesive resin, which picks up and retains particles effectively
- Solvent and silicon free so won't cause surface contamination

DIMENSIONS (mm)	ART NO.	ΡΚ QTY
420 x 750	07660708050	20 x 10pcs



MICR0 FINISHING



NON-WOVEN TACK RAG

- Polyester cloth impregnated with resin to absorb small particles and invisible dust between coats, preparing the surface prior to painting
- The non-woven construction gives strength and tear resistance

DIMENSIONS (mm)	ART NO.	ΡΚ QTY
320 x 400	07660708051	10 x 10pcs



CLAY FINISHING SOLUTIONS

- For best results, use with the Norton Detailer Spray to give flawless showroom finish
- Clay Disc for finishing large surface areas by machine. With a soft foam backing, the disc is ideal for curved and contoured surfaces during fine surface preparation
- Clay Glove ideal for manual finishing of difficult to reach areas such as edge of panels

DESCRIPTION		GRADE	ART NO.	PK QTY
Ø150mm CLAY DISC	Surface Preparation	Fine	66261140440	1
CLAY GLOVE	Fine Surface Preparation	Fine	66261140439	1



CLAY STARTER KIT

• The Norton Clay Starter Kit contains 1 clay disc, 1 clay glove, 1 Liquid Ice detailer spray and 1 Blue Magnet microfibre cloth

DESCRIPTION	QTY IN KIT	ART. NO.
ø150mm CLAY DISC Fine Surface Preparation	1	
CLAY GLOVE Fine Surface Preparation	1	_
Liquid ICE - Detailer Spray 1 litre	1	66261140442
Blue Magnet MicroFiber cloth (400x400mm)	1	-
Instruction sheet	1	-







HEADLIGHT REPAIR KIT

• Ideal for quick restoration of headlights that are discoloured or chipped

DESCRIPTION	QTY IN KIT	ART. NO.
Mini Orbital Sander 76mm (pneum)	1	
Mini Rotary Polisher 76mm (pneum)	1	
Pad 76mm	2	
Foam interface 76mm	2	_
Norton Pro discs 76mm A975 P500	50	
Norton Pro discs 76mm A975 P800	50	_
Norton Ice discs 80mm Q255 1500	6	-
Norton Ice discs 80mm Q255 3000	6	66254488516
Polishing head Medium 76mm	2	_
Polishing head Soft 76mm	2	
Liquid Ice Quick Cut - 250ml	1	_
Liquid Ice OEM - 250ml	1	_
Liquid Ice Detailer Spray	1	
Blue Magnet microfiber	2	
1 Process chart «how to use the kit»	1	



MICR0 FINISHING

92 / MICRO FINISHING



G360 - SUPER FAST SYSTEM	0/
G360 Process chart	74
G360 Super Fast Compound	
G360 Super Fast Finish	
G360 Kits	
POLISH RANGE	96
G3 Compounds	70
G3 Glaze Gloss Enhancer	
G3 Wax Premium Liquid Protection	
G3 Regular Grade Paste	
G-SCUFF Paint Preparation Paste	
G3 PR0 Range	
ACCESSORIES	102
Foam Applicators	102
Wool and Lambswool Pads	
Backing Pads & Adaptors	
Finishing Cloths	
Spray Bottle	
Spurring Brush	
Degreasing & Polishing Wipes	
MACHINES	107
G Plus Rotary and Dual Action Polishing Machines	107
AC DELCO Mini Polisher	

Faréda

Farécla

G360 SUPER FAST


-

FARÉCLA

FARECLA

FARÉCLA

Farécla compounds use Engineered Abrasive Technology developed by scientists in a state-of-the-art R&D facility. Only the highest quality raw materials are used to ensure the engineered particles quickly, efficiently and permanently remove defects, such as scratches, sanding marks, swirls, holograms and oxidation.



Farécla



G360 SUPER FAST COMPOUND

- No P3000 discs required cut out a process and save money
- Super fast cutting action permanently removes P1500 sanding marks
- Transparent in use see the scratches being removed
- Easy glide technology excellent handling for fast polishing

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QΤΥ
100 g	SFC106	78072748150	24 tubes
500 g	SFC501	78072723937	12 bottles
1 kg	SFC101	78072700162	6 bottles



G360 SUPER FAST FINISH

- Ultra high gloss finish
- Eliminates swirl marks as the gloss level is enhanced
- Transparent in use see the gloss being enhanced
- Minimal wiping limited contact with the surface

SIZE	FARÉCLA CODE	ART NO.	PK QTY
100 ml	SFF106	78072760453	24 tubes
500 ml	SFF501	78072754240	12 bottles
1 L	SFF101	78072700138	6 bottles



G360 SUPER FAST COMPOUND KIT

KIT CONTENTS	ART NO.	PK QTY
G360 Super Fast Compound 1kg		
G Mop 6" Super High Cut Pad (1 pad)	78072700160	,
G Mop 6" Flexible Yellow Compounding Foam (1 pad)	FARÉCLA CODE KT3001	4
Process Guide (A3)		



<section-header><section-header>

NOT REQUIRED



G3 PRO D.A. CUTTING COMPOUND

- For use with a Dual Action Polisher from P1500 grit
- Removes minor defects such as scratches, scuffs, swirl marks and holograms
- Restores oxidised and dull paintwork
- Highly lubricated glides and cuts evenly over the surface with little effort

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7500	78072729773	12 bottles
1 L	7506	78072729809	6 bottles

G3 PRO D.A. FINE POLISH

- Enhances colour and gloss for a showroom finish
- Removes light defects such as swirl marks and holograms
- Especially designed for dual action application on dark colours
- Highly lubricated glides and cuts evenly over the surface with little effort

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7501	78072729802	12 bottles

G3 PREMIUM ABRASIVE COMPOUND

- Leaves a swirl free, high gloss finish with reduced product consumption
- Removes P1500 or finer sanding marks from all modern paint systems
- Stage 1: CUT (900 1300rpm), Stage 2: FINISH (800 1100rpm)
- Easy & safe to use minimal dragging, staining, hazing, dusting or splatter

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
500 g	G3P506	78072700172	12 bottles
1 kg	G3P101	78072700146	6 bottles



G3 ADVANCED LIQUID COMPOUND

- Versatile, can be used on both fresh and cured paintwork
- Removes P1500 abrasive paper marks without the use of fillers
- Improved cutting action speeds up the process
- Less water is required during use which reduces clean up time

SIZE	FARÉCLA CODE	ART NO.	PK QTY	
1 L	AG3-1400	78072708715	6 bottles	







G3 FINE FINISHING COMPOUND

- Quickly removes P3000 or finer sanding marks
- Swirls and holograms are eliminated permanently
- Restores lightly oxidised paintwork and dull surfaces
- Use by hand (G Plus Finishing Cloth) or by machine

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
500 g	G3F501	78072700143	12 bottles
1 kg	G3F101	78072700141	6 bottles

G3 GLAZE GLOSS ENHANCER

- Rapidly enhances gloss
- Excellent filling capabilities
- Restores colour and protects paint properties

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
500 ml	G3G501	78072700145	12 bottles
1 L	G3G101	78072700144	6 bottles

G3 WAX PREMIUM LIQUID PROTECTION

- Provides a superior gloss finish on all types of fully cured paintwork
- Spreads easily providing a protective coating that won't dry out on the surface and buffs off quickly
- Use by machine or by hand
- Long lasting protection up to 3 months

SIZE	FARÉCLA CODE	ART NO.	PK QTY	
500 ml	G3W501	78072700147	12 bottles	
1 L	G3W106	78072708713	6 bottles	

G3 REGULAR GRADE PASTE

- Reliable cut for P1500 or finer
- Permanent finish
- High gloss system, best results with water spray
- Silicone-free 100% paintshop safe

SIZE	FARÉCLA CODE	ART NO.	PK QTY
250 g	G3-250	78072709133	24 tubes
400 g	G3-400	78072700140	12 tubes
3 kg	G3-3000	78072700139	4 tubs











G6 RAPID GRADE PASTE COMPOUND

- Permanent results fast no fillers
- Excellent for air dried two pack paint systems
- Great for renovating OEM paint surfaces
- Ideal for harder paintwork aggressive cut

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
400 g	G6-400	78072700173	12 tubes
3 kg	G6-3000	78072708711	4 tubs



G-SCUFF PAINT PREPARATION PASTE

- Gives an even matt finish for perfect blends and spot repairs
- Ensures perfect paint adhesion
- Contains detergents to remove wax, traffic film, tree sap

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY	
1 L	1161400	78072760429	12 bottles	

G3 PRO SNOW FOAM

- pH neutral snow foam for maintenance cleaning
- Soaks and softens dirt to prevent surface scratching
- Will not remove existing wax layers
- Silicone free bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
500 ml	7205	78072706525	6 bottles

G3 PR0 SHAMP00

- Very concentrated formulation highly dilutable
- Safe on all surfaces
- Does not remove existing wax layers
- Silicon free bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
500 ml	7252	78072760454	6 bottles





G3 PR0 WHEEL CLEANER

- Powerful pH neutral touchless cleaner for all wheel types
- Fallout remover with colour changing technology
- The colour changing technology activates as brake dust and other iron rich contaminants dissolve. Safe for use on paintwork
- Silicone free bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY	
500 ml	7209	78072706610	6 bottles	

G3 PR0 TYRE SHINE GEL

- Provides an 'as new look' or a 'high shine' finish
- Eliminates the mess of sling, drips and streaks, prevents discolouration and premature cracking
- Safe on all tyre walls
- Contains no silicones or paint that can prevent the rubber breathing

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7213	78072706608	6 bottles

G3 PRO RAPID DETAILER

- Use on bodywork, rubber, plastic and chrome
- Removes light dirt, dust and fingerprints and leaves a 'just-waxed', high gloss finish
- Does not strip previously applied waxes from the surface
- Quick clean

SIZE	FARÉCLA CODE	ART NO.	PK QTY
500 ml	7193	78072700134	6 bottles

G3 PRO DEEP CLEAN CLAY MITT

- Easily removes ingrained dirt, bugs, tar spots and dulling pollutants from paintwork, windscreens and headlights
- Uses an advanced rubber polymer technology
- Lasts up to 5x longer than traditional clay bars

FARÉCLA CODE	ART NO.	PK QTY
7191	78072706632	12

















G3 PR0 MULTICLEANER

- All purpose cleaner (APC), safe on all surfaces no staining
- Breaks down oil and grease, powerful on stubborn marks
- Will not discolour rubber, plastics, vinyl or fabric
- Silicone free bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QΤΥ	
500 ml	7199	78072706510	6 bottles	

G3 PRO ALL-IN-ONE POLISH

- All-in-one cutting polish, gloss enhancer and paint protector
- Easy one-step application
- Ideal for hand use or with a dual action polisher
- Silicone free bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
500 ml	7251	78072760456	6 bottles

G3 PRO COLOUR RESTORER

- Improves paintwork by removing swirls. holograms & fading
- Restores colour and shine to faded or oxidised boadywork panels
- Using high grade of light polishing abrasives
- Silicone free p bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
500 ml	7195	787072706506	6 bottles

G3 PRO SCRATCH REMOVER LIQUID

- Eliminates light scratches or diminishes the look of deeper defects
- Easy to spread liquid ideal for larger areas
- Easy application by hand or machine
- Silicone free bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
500 ml	7164	78072706502	6 bottles



G3 PRO SPRAY WAX

- Quick, easy and durable
- Enhances the surface gloss level and prolongs previously applied wax finish
- Does not stain rubber or plastic, contains UV inhabitors
- SIlicon free bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
500 ml	7211	78072706604	6 bottles

G3 PRO RESIN SUPERWAX

- Long-life, high gloss finish
- Easy glide wax
- Interlinked system of Carnauba, Montanic and Paraffin waxes
- Up to 4 months protection

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
500 ml	7166	78072706504	6 bottles

G3 PRO SUPERGLOSS PASTE WAX

- Super easy application
- Ultra high gloss finish
- Up to 6 months protection
- Includes Waffle Applicator Pad

SIZE	FARÉCLA CODE	ART NO.	PK QTY
200 g	7177	78072706631	4

G3 PRO SUPER DRESSING

- Removes dirt, dust, grime, chocolate and many other stubborn contaminants
- Leaves a non-slippery surface
- Dries quickly to leave a subtle, 'new look' sheen
- Silicone free for a natural factory look and bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
500 ml	7201	78072706516	6 bottles













G3 PRO LEATHER CLEANER

- Safe cleaner with non-slippery finish
- Foaming action which reaches deep into soiled areas and lifts dirt making it easy to wipe away
- Contains natural lanolin oils
- Silicone free bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
500 ml	7200	78072706513	6 bottles

G3 PR0 GLASS CLEANER

- Quick and easy application
- Provides excellent clarity
- Smear and streak free finish, quick and easy application
- Silicone free bodyshop safe

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
500 ml	7202	78072706517	6 bottles

G PRO APPLICATOR WAFFLE PADS

- Two Waffle Pads 1x Restore. 1x Finish
- Minimises wastage
- Easy to use

FARÉCLA CODE	ART NO.	ΡΚ QTY	
7167	78072706635	2 pack x6	



G MOP SUPER HIGH CUT PAD

- Extremely rapid cut from P1500
- Recommended step 1 pad for use with G360 Compound
- Hybrid of foam and engineered fibres keep panels cool and significantly reduces drag improving ease of use
- Superb handling and flexibility, glides easily over surface contours

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
3" / 75mm	GMC350	78072708948	3 pack x6
6" / 150mm	GMC650	78072700153	1 pack x 12





G MOP HIGH CUT FOAM

- High cut and rapid, superb gloss
- Open cell structure for 'dry use' compounds
- Highly Durable
- Excellent on aged paint and large areas

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
3" / 75mm	GMC309	78072700180	3 pack x 6
6" / 150mm	GMC628	78072756718	1 pack x 24

G MOP YELLOW COMPOUNDING FOAM

- Excellent cut and gloss
- Can be used with wet or dry use compounds
- GMC624 Superb handling and flexibility, glides easily over surface contours

SIZE	FARÉCLA CODE	ART NO.	PK QTY
3" / 75mm	GMC312	78072700149	5 pack x 6
6" / 150mm - Flexible	GMC624	78072700152	2 pack x 12
6" / 150mm	GMC612	78072700151	2 pack x 12
8" / 200mm	GMC812	78072708718	1 pack x12





G MOP BLACK FINISHING FOAM

- Soft, open cell structure
- Light cut, high gloss finish
- GMF624 Superb handling and flexibility, glides easily over surface contours

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QΤΥ
3" / 75mm	GMF301	78072700154	5 pack x 6
6" / 150mm - Flexible	GMF624	78072700156	2 pack x 12
6" / 150mm	GMF601	78072700155	2 pack x 12
8" / 200mm	GMF801	78072700177	1 pack x 12







G MOP TWISTED WOOL COMPOUNDING PADS

- 100% pure, 4 ply, twisted wool
- Highest cut of any polishing applicator
- Available as single & double sided

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
8" (double sided)	GMW816	78072700174	1 pack x12
8" (single sided)	GMW811	78072700175	1 pack x12



G MOP LAMBSWOOL PADS

- For dry use compounds
- Good cut, finer finish than twisted wool pads

SIZE	FARÉCLA CODE	ART NO.	PK QTY
3" / 75mm	GML301	78072700157	5 pack x 6
6" / 150mm	GML601	78072700158	1 pack x12
8" / 200mm	GML801	78072700176	1 pack x12



G MOP FLEXIBLE BACK PLATE

- Flexibility allows improved handling performance
- 2 diameters and thread sizes available

SIZE	FARÉCLA CODE	ART NO.	PK QTY
6" / 150mm / M14	GMB146	78072700148	1 pack x6
8" / 200mm / M14	GMB814	78072709129	1 pack x6
6" / 150mm / 5/8"	GMB586	78072715924	1 pack x6
8" / 200mm / 5/8"	GMB858	78072708721	1 pack x6



G MOP BOLT ADAPTOR

- For use with Farécla double sided pads
- Screw on and off design with M14 14mm thread

FARÉCLA CODE	ART NO.	ΡΚ QTY
GMA014	78072700181	1



G3 PRO MICROFIBRE CUTTING PAD

• Optional step to eliminate surface contaminants and heavy defects from hard OE paints

FARÉCLA CODE	ART NO.	ΡΚ QΤΥ
7502	78072729804	24



G3 PRO FOAM CUTTING PAD

- Eliminates heavy defects from OE and refinish paints
- For use with G3 Pro D.A. Cutting Compound

FARÉCLA CODE	ART NO.	ΡΚ QTY	
7503	78072729807	12	



G3 PRO FOAM POLISHING PAD

- For use with G3 Pro D.A. Fine Polish
- Use after G3 Pro Cutting Compound step to eliminate holograms and enhance gloss
- Can also be used as a single step to restore colour and gloss to faded paintwork whilst removing swirl marks, holograms and other minor defects
- Best use when you apply dabs of compound to the pad instead of on the car body

FARÉCLA CODE	ART NO.	ΡΚ QTY	
7504	78072729808	12	



G PLUS FINISHING CLOTHS

- Edgeless to avoid scratching
- Low-lint, 400mm x 400mm microfibre cloth
- Very high absorbency
- Can be machine washed up to 100 times

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QΤΥ
400 x 400mm	FC-3/12	78072700136	3 pack x12

FARECLA



G PLUS SPRAY BOTTLE

- Gives an even dispersal
- Ensures a supply of clean water to minimise contamination
- Can be used with all sprayable liquids

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
600 ml	WSB	78072700142	25 bottles



G WIPE

G PLUS SPURRING BRUSH

- For quick and easy cleaning of pads when spun on a polishing machine
- Avoids residue, dried compound and other contaminants impairing your next job and prolongs pad life
- Unclogs foam cells to ensure no drop in cut or gloss

SIZE	FARÉCLA CODE	ART NO.	PK QTY
For all pads	1090005	78072700135	20

G PLUS DEGREASING WIPES

- Removes all debris before painting, without scratching the surface
- Non-snagging and low-linting
- Strong and highly absorbent
- Easily dispensable

SIZE	FARÉCLA CODE	ART NO.	PK QTY
580mm x 530mm	1050200	78072710927	1



G PLUS POLISHING WIPES

- Multi-purpose wipes
- For use without scratching the surface
- Highly absorbent and solvent resistant

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
580mm x 530mm	1050100	78072710926	1





G PLUS ELECTRIC ROTARY POLISHING MACHINE

- Lightweight yet powerful
- Very wide speed range

• Low vibration

CITE

FARÉCLA CODE

Long power cord

PK QTY

1

5122	THREEEROODE	yatt Ho.
150mm pad	GPT002	78072700159

AC DELCO MINI POLISHER

- Long battery life. Charger and spare battery supplied
- Supplied with spare carbon brushes
- Lithium-Ion batteries
- Ideal for polishing small areas

SIZE	FARÉCLA CODE	ART NO.	ΡΚ QTY
3" / 75mm pads	FG-MINIPOL-ADV	78072700137	1





G PLUS ELECTRIC DUAL ACTION POLISHER

- Lightweight at 2.6kg, reducing muscle fatigue when used for long periods of time
- The 15mm throw, balances the speed of paint correction with machine vibration

FARÉCLA CODE	ART NO.	ΡΚ QTY
GPT202	78072729810	1

- Speed indicator, enabling increase or decrease of polishing speed for optimal results
- Precision engineered counterweight, that minimises vibration and the associated user fatigue

FARECLA



G PLUS D.A. SYSTEM KIT

- Kit contains the G Plus D.A. Polisher, a very wellbalanced machine, with low vibrations, for faster paint correction and polishing jobs
- Also includes G3 Pro D.A. Cutting Compound, to eliminate P1500 sanding marks, remove minor defects such as scratches, scuffs, swirl marks and holograms, restore oxidised and dull paintwork

FARÉCLA CODE	ART NO.	ΡΚ QTY
7505	78072741472	1

- The G3 Pro D.A. Fine Polish is also included, to enhance colour and gloss for a showroom finish, to remove final light defects such as swirl marks and holograms, especially designed for final applications on dark colours
- 3 different pads, for each step of the polishing process

MASKING

MASKING TAPES	110
Gold tape	110
Challenger tape	
Masking tape	
Premium perforated tape	
Foam tape	
Fine line tape	
Double-sided attachment foam tape	
Rubber cleaning wheel	
MASKING FILM	115
Plastifilm	
Accessories	
KRAFT PAPER	117
Premium kraft paper	

MASKING

MASKING TAPES

Norton offers a range of masking tapes suitable for a number of bodyshop applications. All tapes readily conform to contours and adhere to most surfaces and irregular shapes. Our masking tapes are also resistant to a broad range of temperatures.



NEW ORANGE TAPE *++++*

- Professional masking tape, excellent for curves, contours and irregular surfaces
- Excellent adhesion to all surface types (paints, plastic films etc.) thanks to the solvent-based rubber adhesive, good stretchability
- Resists baking temperatures up to 120°C for 30 minutes or 90°C for 1 hour
- UV protection withstands indoor and outdoor use for 3 days without leaving any residue on the surface

DIMENSIONS	ART NO.	PK QTY
18mm x 55m	78072709627	48
24mm x 55m	78072709628	36
36mm x 55m	78072709629	24
48mm x 55m	78072709630	20

GOLD TAPE ++++

- Gold tape is designed for fine line paint masking on many substrates
- Resists baking temperatures of up to 120°C for one hour without leaving residue on the surface
- Thin and resistant (rice) paper tape will not peel paint off when removed and provides excellent masking line sharpness

DIMENSIONS	ART NO.	ΡΚ QTY
19mm x 50m	66261067434	24
25mm x 50m	66254490982*	36
38mm x 50m	66261067435	12
50mm x 50m	66254490986	18
		* Made-to-order



CHALLENGER TAPE ++++

- Excellent resistance to paint, solvents, lacquer thinners, Challenger Tape shows outstanding tape to tape adhesion
- Saturated semi-crepe paper based masking tape makes Challenger Tape particularly suited to oven baking painting operations up to 100°C and 30 minutes
- Optimised for most surfaces and well suited to both metallic and plastic alike

DIMENSIONS	ART NO.	ΡΚ QΤΥ
18mm x 45m	66261133208	48
24mm x 45m	66261133211	36
36mm x 45m	66261133214	24
48mm x 45m	66261133216	18



PREMIUM MASKING TAPE #++++

- For demanding applications, contours and irregular surfaces, Norton premium tape does not bleed through, seep or leave residue when removed
- Excellent adhesion on all surface types thanks to the rubber solvent based adhesive resists baking temperatures of up to 100°C for 30 minutes
- Compatible with most common paints and lacquers used in the body shop



DIMENSIONS	ART NO.	ΡΚ QTY	B0X/PALLET
19mm x 50m	69957394601	48	48
25mm x 50m	69957394602	36	48
30mm x 50m	66261193492	32	32
38mm x 50m	69957394603	24	48
50mm x 50m	69957394604	24	48

MEDIUM MASKING TAPE

- Ideal for use in oven dry cycles with resistance to temperatures up to 80°C
- Easy to remove without tearing and will not leave any residue on the surface
- Highly flexible with a good level of adhesion, which easily conforms to contours or irregular shapes and surfaces
- Can be used universally as the tape is compatible with the most common types of paints and lacquers

DIMENSIONS	ART NO.	ΡΚ QTY	B0X/PALLET
19mm x 50m	69957394605	48	48
25mm x 50m	69957394609	36	48
38mm x 50m	69957394611	24	48
50mm x 50m	69957394614	24	48





GENERAL PURPOSE MASKING

- For standard applications, can be used in temperatures up to 60°C
- Good for masking before painting, compatable with most paint brands
- Won't rip when removed from the surface

DIMENSIONS	ART NO.	ΡΚ QTY
19mm x 50m	69957394617*	48
25mm x 50m	69957394619*	36
38mm x 50m	69957394623*	24
50mm x 50m	69957394631*	24

* Made-to-order





PREMIUM PERFORATED TRIM

- For protecting rubber trims and body side mouldings during spraying
- The tape is pre-perforated for easy tear off and is flexible to follow contours and tight curves
- Only one size and thickness, plastic strip fits all types of rubber trim
- High quality adhesive with no residue upon removal

DIMENSIONS	ART NO.	PK QTY
50mm x 10m	66261194743	10



PREMIUM FOAM TAPE +++++

- With highly absorbent foam to avoid leaks or paint runs, this foam tape is one continuous length which fits all gaps without rolling and will not distort when torn
- Recessed adhesive reduces defects or rework after spraying
- Can be used on fixed or moving parts to ensure a smooth paint edge
- Use in all car door apertures before spraying

DIMENSIONS	ART NO.	PK QTY
20mm x 50m	66254470746	1



STANDARD FOAM TAPE

• Recessed adhesive causes no paint edge or rubbing down, provides reliable protection of painted edges quickly, and is easy to apply

DIMENSIONS	ART NO.	ΡΚ QTY
13mm x 50m	66254470735	1
19mm x 35m	66254470744	1



POLYETHYLENE TAPE - 357

- Excellent adhesion to all surfaces for edge protection and wrapping
- Water and heat resistant

DIMENSIONS	ART NO.	ΡΚ QTY
50mm x 50m	07660717720	24

FINE LINE TAPE ++++

- Used for the demarcation of the most delicate paint work, Fine Line tape conforms easily to the tightest contours without wrinkling
- Vinyl backing does not leave adhesive residue when the tape is removed, even after baking at 150°C for 30 minutes
- 0.13mm thickness allows extremely precise demarcation of the area to be painted
- Elongation of 150% provides excellent flexibility

DIMENSIONS	ART NO.	ΡΚ QTY
3mm x 55m	66261194993	10
6mm x 55m	66261194994	10
9mm x 55m	66261194995	10
12mm x 55m	66261194996	10
19mm x 55m	66261194997	10



DOUBLE-SIDED ATTACHMENT FOAM TAPE #++++

- High-density foam tape is coated with high strength acrylic adhesive on both sides, with red polyethylene release liner, for bonding medium to large mouldings and accessories
- High strength acrylic adhesive provides superior adhesion to plastics, metal, glass, and painted vehicle surfaces
- Used for many applications including: attaching body side mouldings, cladding, door edges, emblems, fascia rub strips, garnish mouldings, interior trim panels, rocker panel mouldings and pillar covers

DIMENSIONS	ART NO.	PK QTY
6mm x 18m x 1.1mm	63642505620	12
12mm x 18m x 1.1mm	63642505621	12
22mm x 18m x 1.1mm	63642505622	12





RUBBER CLEANING WHEEL

- For pinstripe and adhesive tape removal without surface damage
- Specially designed with a ventilated structure which helps to prevent melt down or marking of the paint coating

DESCRIPTION	DIMENSION	ART NO.	PK QTY
Cleaning Wheel	100 x 15 x 6mm	07660707987	8
Spindle	6mm	07660718162	8

MASKING FILM

Norton Plastifilm provides the perfect solution for protecting car bodywork when spraying primer, paint or varnish. Available in three qualities: Standard, Premium and Ultra.

PLASTIFILM ULTRA +++++

- Made from a tough, water resistant, and tear resistant high density polyethylene+ that prevents sweating and leaves no marks when used on damp cars
- Impregnated with an anti-paint-flaking treatment for excellent paint absorption and no bleed through of water/solvent based products
- Heat resistant up to 110°C, making it safe to use in the spray booth
- The material is also fully recyclable

DIMENSIONS	ART NO.	PK QTY
4m x 150m	63642504273	1
5m x 120m	63642504393	1
6m x 100m	63642504396	1





PLASTIFILM PREMIUM

- High density polyethylene resistant to water and solvent based paint
- Heat resistant up to 110°C, making it safe to use in the spray booth and infra-red drying
- Static treatment applied to the film means it moulds instantly to the car for faster throughput with better precision and saving time
- Corona treatment prevents imprinting and marking on damp vehicles and eliminates humidity between the film and coating

DIMENSIONS	ART NO.	PK QTY
4m x 150m	66623341457	1
5m x 120m	66623341458	1







PLASTIFILM STANDARD +++

- Made from transparent polyethylene, which can be easily trimmed to size and gives excellent visibility throughout the process
- Closed surface structure prevents paint leaking through and avoids the requirement for rework
- Can be compressed to minimum dimensions, making it easy to store and producing less waste overall

DIMENSIONS	ART NO.	PK QTY
4m x 150m	66623341451	1
4m x 300m	66623341454	1
5m x 120m	66623341455	1

ACCESSORIES

DESCRIPTION	ART No.	PK QTY
Dispenser for Plastifilm	66623341459	1
Cutter for Plastifilm	07660708055	50





KRAFT PAPER

Norton Kraft paper is ideal for masking panel sections and parts prior to painting. It's thickness (50g/m²) means no paint will leak through whilst still easy to cut to size.

PREMIUM KRAFT PAPER ++++

- Thick paper prevents paint leaking through
- Can be used for water and solvent based paints
- Recycled paper for a more environmentally friendly solution

DIMENSIONS	ART NO.	PK QTY
200mm x 300m	66261133230	1
400mm x 300m	66261127558	1
450mm x 300m	66261133231	1
600mm x 300m	66261133232	1
800mm x 300m	66261133233	1
900mm x 300m	66261127561	1
1000mm x 300m	66261133304	1
1200mm x 300m	66261127562	1
1500mm x 300m	66261133306	1



MASKING

NORTON PAINT SYSTEM

IMPROVED VERSION

Disposable kits	100
Refill kits	<u> 12</u> (
Reusable hard cup	
Starter kit	
Mixing cups	
Paint strainer	
Accessories	
Dispensers	
Adapters	

NORTON PAINT SYSTEM

NORTON PAINT SYSTEM

NORTON PAINT SYSTEM

The most effective and productive solution for preparing, mixing and spraying paints, the Norton Paint System provides a faster and cleaner solution and saves on cleaning time and solvent usage, allowing paint to be stored and reused.

The Norton Paint System also enables the operator to paint in all positions, without any risk of the paint leaking.

The easy to assemble system ensures a consistent spray pattern, convenient storage of paint as well as easy and clean disposal of the entire unit.

A complete range of products and accessories are also available.

DISPOSABLE KIT

- Two different kits are available with different mesh weights built in to the filter inside the lids: 190µ, 125µ and 80µ mesh
- Refer to the paint manufacturer's recommendation for the correct filter mesh. Each kit comes complete with lids with membranes, liners, rings, plugs and a mixing bar

VOLUME (ml)	FILTER 80µ	FILTER 125µ	FILTER 190µ	PK QTY
250		63642504727	63642504734	48
750	63642504739	63642504742	63642504744	48



REFILL KITS INCLUDES LIDS / CAPS

- A refill kit is available for when the paint cup needs to be refilled
- Each kit contains lids with membrane and plug

VOLUME (ml)	FILTER 80µ	FILTER 125µ	FILTER 190µ	PK QTY
250		66261103841	66261103842	24
750	66261112807	63642504747	63642504748	24



REUSABLE HARD CUP

• The reusable mixing cup has pre-printed mixing ratio scales for greater convenience

VOLUME (ml)	ART NO.	PK QTY
250	07660721650	8
750	07660721651	8



STARTER KIT

• An ideal starter kit to introduce the use of Norton Paint System complete with 1 Hard Cup, 12 Lids, 12 Liners, 12 Rings, 12 Caps, 4 Paint Strainers and 1 Mixing bar (adapter not included)

VOLUME (ml)	FILTER 125µ	ΡΚ QΤΥ
750	66261136686	1



MIXING CUPS

- Disposable plastic mixing cups for paint preparation and storage
- Printed with seven different mixing ratios for accurate measuring, and base feet which protect against cold transfer during mixing

DESCRIPTION	SIZE (ml)	ART NO.	ΡΚ QTY	BOX QTY
Mixing cup	400	66261140644	25	200
Lid for 400ml mixing cup		66261140652	50	400
Mixing cup	650	66261140653	25	200
Lid for 650ml mixing cup		66261140655	50	400
Mixing cup	1300	66261140659	25	200
Lid for 1300ml mixing cup		66261140665	50	400
Mixing cup	2240	66261140668	25	100
Lid for 2240ml mixing cup		66261140670	50	200





PAINT STRAINER

- Disposable paint-strainer, filters paint before spraying
- High quality paper and mesh, gives the highest purity in the preparation of waterborne, basecoat and clear-coat paints

DESCRIPTION	BLUE FILTER 125µ	WHITE FILTER 190µ	ΡΚ QTY
Paint Strainer	63642530324	63642530358	4 x 250 pcs



ACCESSORIES

SIZE	ART NO.	ΡΚ QTY
М	07660782012	24
	63642506317	6
	63642506281	4
	66254405711	250
М	66254428976	10
L	66254428977	10
XL	66254428978	10
	M M L	M 07660782012 63642506317 63642506281 6364250405711 66254405711 M 66254428976 L L 66254428977



DISPENSERS

- Suitable for storage of liners and rings
- Available in small and medium/large size

DESCRIPTION	SIZE	ART NO.	QTY PER DIS- PENSER	BOX QTY
Liner dispenser	Small	07660721654	50 liners	1
Liner dispenser	Medium / Large	07660721655	50 liners	1
Lid and ring dispenser	All Sizes	07660721656	Holds 25 M/L lids or rings or 50 small lids or rings	1

ADAPTER MITH & MEMBRANE

The new actuator inside the adapter, has been specially designed to pierce the membrane inside the lid, allowing the aint to flow through when the cup is attached to the spray gun.



ADAPTERS









• The new improved Norton Paint System can only be used with the new adapter serie A.1

Adapter 2A.1

Adapter 5A.1

..1 A

Adapter 9A.1

Quick Connect (QCC)

BRAND	MODELS		ADAPTER	ART NO.	Pł QT
Accuspray	lssac	7A.1	3/8 Female, 18 Thread (BSP)	63642501581	4
	10, 12s, 19, 19c	18A.1	3/8 Female, 18 Thread (NSP)	63642571614	4
	PerfoMax 05-300 mini	21A.1	14mm Female, 1,0mm Thread	63642571639	4
Airgunsa	AZ3, AZ5, AZ30 HTE, AZ40 HTE	6A.1	1/4 Male, 19 Thread (BSP)	63642501560	L
Asturo	OM Green	6A.1	1/4 Male, 19 Thread (BSP)	63642501560	4
	ECO/SSP	18A.1	3/8 Female, 18 Thread (NSP)	63642571614	4
Binks	Mach 1, 1SL, 95, 95SL, 95SLV, M.Featherlite,	18A.1	3/8 Female, 18 Thread (NSP)	63642571614	1
	2001, 2001SS, 2001V, Model 7, SV-100 Siphon	18A.1	3/8 Female, 18 Thread (NSP)	63642571614	1
DeVilbiss	PRI, GTI, GTI Pro, GFG, GFV,GFHV 510, FLG4	15A.1	3/8 Male, 19 Thread (BSP)	63642501355	
	SRI Minigun	14A.1	7/16 Male, 14 Thread (UNC)	63642501565	
		10A.1	Elbow Swive Nut 1/4 Fe19 Thread (BSP	63642571593	
	506, 507, 510, EXL 520S, FLG 606, 626, 693, 694, VTX	18A.1	3/8 Female, 18 Thread (NSP)	63642571614	
	EGA-503 Mini Siphon Feed, EGHV 531 Mini	23A.1	1/4 Female, 1/8 Thread (NPS)	63642571647	
	FUN Siphon	25A.1	1/4 Female, 19 Thread (BSP)	63642571649	
Eminent	E13	6A.1	1/4 Male, 19 Thread (BSP)	63642501560	
Graco	600 Side Cup Mount	10A.1	Elbow Swive Nut 1/4 Fe19 Thread (BSP)	63642571593	
IWATA	W 400, WR 400, LPA 94, VXL Primer Gun, LPH 400, LPH 440	2A.1	16mm Female, 1,5mm Thread	63642501558	
	W300, LPH300	6A.1	1/4 Male, 19 Thread (BSP)	63642501560	
	Supernova WS400, LS400	43A.1	1/4 Male, 19 Thread	63642501564	
	LPH-80 Mini Spray Gun	31A.1	1/8 Male 28 Thread (BSP)	63642501568	
	LPH-50 Mini, LPH-100, W-100G, RG3L, W-71	10A.1	Elbow Swive Nut 1/4, Fe19 Thread (BSP)	63642571593	
	Mini Siphon Feed Guns, Europe	17A.1	1/4 Female, 19Thread (BSP)	63642571606	
	W-200 Siphon, LPSI, W101 Siphon, W200 Siphon	19A.1	3/8 Female, 19 Thread	63642571629	
	W-100, Siphon	25A.1	1/4 Female, 19 Thread (BSP)	63642571649	
Kremlin	M 21 G	6A.1	1/4 Male, 19 Thread (BSP)	63642501560	
Sagola	475 Mini-Gun	12A.1	10mm Male, 1,0mm Thread	63642501563	
	403 G, 433 G, 434 G, 444 G, 450 G, 4100 G, 4200 G, 4300	5A.1	12mm Male, 1,5mm Thread	63642501540	
	4400 Xtreme, 4500 Xtreme	32A.1	18mm x 1,5mm Female Thread	63642501567	
SATA	SATAjet 2000 HVLP w/o QCC, SATAjet RP w/o QCC, SATA LM 2000 HVLP/RRP, SATA KLC HVLP/RRP, KLC P, SATAjet 90	9A.1	16mm Male, 1,5mm Thread	63642501559	
	SATA Jet 3000/4000/5000	40A.1	12mm Male, 1,5mm Thread	63642501539	
	SATAjet B NR 92,NR 95 HVLP	2A.1	16mm Female, 1,5mm Thread	63642501558	
	SATA LM B 92	5A.1	12mm Male, 1,5mm Thread	63642501540	
	SATA Mini-Jet 1, 2, 3	12A.1	10mm Male, 1,0mm Thread	63642501563	
Sharpe	GT1,Platinum, Titanium, Cobalt, SGF 98	11A.1	Male 3/8 Net.18 (NPS)	63642501576	
	MFG, MPF Mini-Gun HVLP	20A.1	1/8 Male, 27 Thread	63642571632	
Snap-On	BF515 R-Angle Mini	24A.1	El Sw Nut, 1/4Fe, 18 Thread	63642571648	
Tekna	Tekna Cooper, Prolite, Quick Clean	15A.1	3/8 Male, 18 Thread (NSP)	63642501355	
Walcom	FX GEO, FX HVLP	8A.1	12mm Male, 1,0mm Thread	63642501566	
	Touch-up STM	22A.1	8mm Male, 0,75mm Thread	63642501577	
	Suction gun	16A.1	3/8 Female, 19 Thread (BSP)	63642501583	

124 / NORTON PAINT SYSTEM

PERSONAL PROTECTION EQUIPMENT

MASKS	- 126
Dual cartridge respirator mask	
Particulate filter pad replacement	
SAFETY GLASSES	- 128
Safety glasses	
Glasses safety information	
GLOVES	- 130
Non-sterile nitrile gloves	130
Non-sterile latex gloves	
OVERALLS	- 131
Painting overall	_ IJI
Body shop overall	

PERSONAL PROTECTION EQUIPMENT

MASKS

The Norton range of personal protection equipment is designed to provide the highest standard of protection in the workplace. All products adhere to the most stringent European directives and regulations. Our approach to safety in the workplace is taken very seriously and products are designed to the most rigorous standards to guarantee optimum personal safety and user comfort.



DUAL CARTRIDGE RESPIRATOR MASK EN405:2001+A1:2009 CE1094

- Soft, non-allergenic material is smooth and comfortable to wear on the face
- Patented hygienic form guard maintains the shape of the mask and its cleanliness after use
- Low profile cartridge provides unimpeded vision to the user
- Cradle suspension and adjustable head straps give the user a secure and comfortable fit
- Filter replacement pads are low maintenance and can be frequently replaced to prevent replacing the mask itself

MODEL	PRODUCT DESCRIPTION	PROTECTION LEVEL	ART NO.	PK QTY
2016	Dual cartridge respirator mask	FFA A2P2	66254482016	1
2017	Particulate filter pad replacement	P2	66254482017	12



Hygienic form guard to maintain shape and cleanliness



Low profile cartridge for improved vision



USAGE ADVICE



Place the respirator over the mouth and nose, then pull the head harness over the crown of the head.



Attach the bottom straps behind the neck.



Tighten top strap by pulling on ends to obtain a secure and comfortable fit. Tighten bottom straps by pulling on ends or loosen by pushing out on buckle tab.



Check respirators each time you enter a contaminated area.

NORTON UPHOLDS THE FOLLOWING EUROPEAN DIRECTIVES FOR RESPIRATORY MASKS:

- Directive 89/656/CEE of 30 November 1989: on the use of PPE by workers. It stipulates the employers' obligations
- The PPE required for work must be provided free of charge
- PPE must comply with the legal provisions in force
- The employer must have, at its disposal, the information needed for proper use of the product. The rules and conditions of use must be defined
- The user must be informed, and training provided
- Directive 89/686/CEE of 21 December 1989: on the design, market entry, free circulation of PPE within the European Union. This Directive has evolved and been modified by 95/58/CEE
- The essential requirements to be met by PPE in order to be put on the European market
- The specific texts provide a classification with regard to hazards



PERSONAL PROTECTION EQUIPMENT

SAFETY GLASSES

Providing eye protection for metal, welding, cutting, grinding and sanding applications.



SAFETY GLASSES STANDARD EN 166

- Ideal for general purpose applications protects from dust and paint particles
- Markings on the frame and lens indicate conformity to quality and safety standards

MODEL	PRODUCT DESCRIPTION	ART NO.	PK QTY	BOX QTY
2025	Standard glasses	66254482025	1	10


STANDARDS AND LEGISLATION FOR GLASSES

Directive 89/686/EEC (Design) describes the essential requirements to be met in order to sell protective glasses on the European market.


PPE from the European Union must bear a marking testifying to its compliance with Directive 89/686/EEC. All our glasses complies with Directive 89/686/EEC and EN 166 which describes "Technical Performance standards". Our premium glasses complies with the EN 175 which describes "equipment for eye and face protection during welding and allied process".

The "CE" marking appears on the smallest packaging unit.






UNDERSTANDING LENS MARKING



UNDERSTANDING FRAME MARKING





PERSONAL PROTECTION EQUIPMENT

GLOVES

Nitrile & latex gloves are designed for handling chemical and non-chemical compounds in the automotive market.





NON-STERILE NITRILE GLOVES

- Disposable gloves are designed for handling chemical compounds
- The gloves are powder-free and resistant to disinfectants
- Made from 100% synthetic nitrile rubber and latex-free to prevent skin irritation
- One size fits all

MODEL	PRODUCT DESCRIPTION	MEDIUM	LARGE	EXTRA LARGE	PK QTY
2022	Nitrile gloves for chemical compounds	66623398849	66254482022	66623398850	100



NON-STERILE LATEX GLOVES

- Disposable gloves for handling non-chemical compounds, powder-free and resistant to disinfectants. Minimum protection level $5\mu g/g$
- Made from natural rubber latex to prevent skin irritation
- One size fits all

MODEL	PRODUCT DESCRIPTION	MEDIUM	LARGE	EXTRA LARGE	PK QTY
2023	Latex gloves for non-chemical compounds	66623398847	66254482023	66623398848	100

CERTIFICATIONS:

- Certification ISO 9001:2000 + ISO 13485:2003
- Conformity to technical standards EN 455-1 (pinholes detection)
 + EN 455-2 (physical properties) + EN 455-3 (biological evaluation)
 + Pr EN 455-4 (shelf life determination)
- Mark according to European Directive 93/42/EEC



OVERALLS

Protect clothes from paint, dust and damage with Norton overalls. Overalls are washable and reusable and available in medium, large and extra large sizes.

PAINTING OVERALL

• The light polyester fabric makes the painting overall breathable, antistatic and washable and reusable.

TATON

• Available in sizes medium, large and extra large.

MODEL	SIZE	ART NO.	PK QTY
8976	Medium	66254428976	10
8977	Large	66254428977	10
8978	Extra-large	66254428978	10



BODY SHOP OVERALL

- Made from polycotton, the bodyshop overall is breathable, washable and reusable
- Can be worn for all applications, protecting clothes from marks, tears, spills and splashes
- Available in sizes medium, large and extra large

MODEL	SIZE	ART NO.	BOX QTY
8314	Medium	07660718314	5
8315	Large	07660718315	5
8316	Extra-large	07660718316	5



SAINT-GOBAIN ABRASIVES NV/SA

INDUSTRIELAAN 129 1070 ANDERLECHT BRUSSELS BELGIUM TEL: +32 2 267 21 00 FAX: +32 2 267 84 24

SAINT-GOBAIN ABRASIVES, S.R.O.

POČERNICKÁ 272/96, MALEŠICE 108 00 PRAHA 10 CZECH REPUBLIC TEL: +420 255 719 326 FAX: +420 255 719 321

SAINT-GOBAIN ABRASIVES A/S

DYBENDALSVÆNGET 2 DK-2630 TAASTRUP DENMARK TEL: +45 4675 5244

P0 B0X 643706

FORTUNE TOWER OFFICE 2106 JLT BLOCK C (NEXT TO METRO STATION) JUMEIRA LAKE TOWER, DUBAI UNITED ARAB EMIRATES TEL: +971 4 431 5154 FAX: +971 4 431 5434

SAINT-GOBAIN ABRASIFS

251 RUE DE L'AMBASSADEUR 78700 CONFLANS FRANCE TEL: +33 (0)1 34 90 40 00 FAX: +33 (0)1 34 90 43 97

SAINT-GOBAIN ABRASIVES GMBH

BIRKENSTRASSE 45-49 D-50389 WESSELING GERMANY GERMANY TEL: +49 (0) 2236 703-1 +49 (0) 2236 8996-0 +49 (0) 2236 8911-0 FAX: +49 (0) 2236 703-367 +49 (0) 2236 8996-10 +49 (0) 2236 8911-30 FÜR DEN FACHHANDEL ÖSTERREICH TEL: +43 (00) 662 430 076

SAINT-GOBAIN ABRASIVES KFT.

1225 BUDAPEST BÁNYALÉG U. 60/B. HUNGARY TEL: +36 1 371 22 50 FAX: +36 1 371 22 55

SAINT-GOBAIN ABRASIVI S.P.A

VIA PER CESANO BOSCONE 4 I-20094 CORSICO MILANO ΙΤΔΙ Υ TEL: +39 02 44 851 FAX: +39 02 44 78 266

SAINT-GOBAIN ABRASIVES S.A.

190 RUE J.F. KENNEDY L-4930 BASCHARAGE GRAND DUCHE DE LUXEMBOURG TEL: +352 50 401 1 FAX: +352 50 16 33 NO. VERT (FRANCE) 0800 906 903

SAINT-GOBAIN ABRASIFS, S.A.

2 ALLÉE DES FIGUIERS AIN SEBAÂ - CASABLANCA MOROCCO TEL: +212 5 22 66 57 31 FAX: +212 5 22 35 09 65

SAINT-GOBAIN ABRASIVES BV

GROENLOSEWEG 28 7151 HW EIBERGEN P.O. BOX 10 7150 AA EIBERGEN THE NETHERLANDS TEL: +31 545 466466 FAX: +31 545 474605

SAINT-GOBAIN ABRASIVES AS

KARIHAUGVEIEN 89 1086 OSLO NORWAY TEL: +47 63 87 06 00 FAX: +47 63 87 06 01

SAINT-GOBAIN HPM POLSKA SP. Z 0.0.

UL. NORTON 1 62-600 KOŁO POLAND TEL: +48 63 26 17 100 FAX: +48 63 27 20 401

SAINT-GOBAIN ABRASIVOS, L. DA

ZONA INDUSTRIAL DA MAIA I-SECTOR VIII, NO. 122 APARTADO 6050 4476 - 908 MAIA PORTUGAL TEL: +351 229 437 940 FAX: +351 229 437 949

SAINT-GOBAIN GLASS, **BUSINESS UNIT ABRASIVI** PUNCT DE LUCRU:

LOC.VETIS, JUD. SATU MARE 447355, STR. CAREIULUI 11, PARC INDUSTRIAL RENOVATIO ROMANIA TEL: +40 261 839 709 FAX: +40 261 839 710

SAINT-GOBAIN ABRASIVES (PTY) LTD

2 MONTEER ROAD ISANDO 1600 P.O. BOX 67 SOUTH AFRICA TEL: +27 11 961 2000 FAX: +27 11 961 2184/5

SAINT-GOBAIN ABRASIVOS, S.A.

CTRA. DE GUIPÚZCOA, KM. 7,5 E-31195 BERRIOPLANO (NAVARRA) SPAIN TEL: +34 948 306 000 FAX: +34 948 306 042

SAINT-GOBAIN ABRASIVES AB

GÅRDSFOGDEVÄGEN 18A SE-168 66 BROMMA SWEDEN TEL: +46 8 580 881 00 FAX: +46 8 580 881 30

SAINT-GOBAIN INOVATIF MALZEMELER VE

AŞINDIRICI SAN. TIC. A.Ş. GÓLD PLAZA, ALTAY ÇEŚME MAHALLESI, ÖZ SOKAK, NO:19/16 34843 MALTEPE-ISTANBUL, TURKEY TEL: 0090-216-217 12 50 FAX: 0090-216-442 40 74

SAINT-GOBAIN ABRASIVES

UNICORN HOUSE UNIT 1, AMISON CLOSE **REDHILL BUSINESS PARK** STAFFORD ST16 1WB UNITED KINGDOM TEL: +44 1785 279553 FAX: +44 1785 213487



Saint-Gobain Abrasifs European Headquarters 251 Rue de l'Ambassadeur 78700 Conflans France

Tel: +33 (0)1 34 90 40 00 Fax: +33 (0)1 34 90 43 97

www.nortonabrasives.com www.youtube.com/NortonAbrasivesEMEA

Norton is a registered trademark of Saint-Gobain Abrasives. Form # 4303

